

BK 14 B 13 173







RENEWAL DATE: 12-31-01

#### LINE TABLE

NUMBER	DIRECTION	DISTANCE
L12	S 01'29'13" E	13.35
L13	S 00'00'21" W	42.00"
L14	S 00'00'22" W	42.00"
L15	5 00'00'22" W	47.45'
L16	S 00'00'38" W	36.55
L17	S 00'00'14" W	1.00"
L18	S 00'00'14" W	1.00"
L19	N 00'00'14" E	43.00"
L20	N 00'00'14" E	1.97"
L21	N 00'00'14" E	1.97
L22	S 00'00'14" W	43.97
L23	N 00'00'22" E	5.45'
L24	N 83"01"19" E	30.01
L25	N 83'01'22" E	30.01
L26	S 82'49'58" E	30.00"
L27	S 82'46'11" E	5.01
L28	S 57"23"59" E	27.67
L29	N 88*30'47" E	30.00'
L30	N 88*30'48" E	30.00"

#### CURVE TABLE

NUMBE	R Delta	Radius	Length	CD	LC
C6	00'59'59"	1130.00	19.72	N 08'46'44" W	19.72
C7	04'03'53"	1100.00	78.04	S 06'16'56" E	78.02
C8	11"25'02"	1100.00	219.19	S 01'27'31" W	218.83
C9	41"24"35"	200.00	144.55	S 20'42'31" W	141.42
C10	82'49'09"	200.00	289.09	S 00'00'14" W	264.57
C11	41"24"35"	200.00	144.55	S 20'42'03" E	141.42
C12	03'41'03"	1070.00	68.80	N 06'30'36" W	68.79
C13	03'41'22"	1070.00	68.90	S 02'49'24" E	68.89
C14	03'38'02"	1070.00	67.86	S 00°50'18" W	67.85
C15	03'44'48"	1070.00	69.97	S 04'31'43" W	69.95
C16	00'45'55"	1070.00	14.29	S 06'47'04" W	14.29
C17	02'04'12"	1130.00	40.82	S 07'14'39" E	40.82
C18	83'47'13"	12.00	17.55	S 48'06'10" E	16.03
C19	91'29'27"	12.00	19.16	N 44"15'31" E	17.19
C20	88'30'33"	12.00	18.54	N 45'44'30" W	16.75
C21	89'59'52"	12.00	18.85	N 45'00'18" E	16.97
C22	90'00'08"	12.00	18.85	S 44'59'42" E	16.97
C23	90,00,00,	12.00	18.85	S 45'00'14" W	16.97
C24	90'00'00"	12.00	18.85	N 44'59'46" W	16.97
C25	91'59'13"	12.00	19.27	S 44'00'37" W	17.26
C26	03'56'05"	1130.00	77.60	N 00'00'56" W	77.58
C27	03'27'20"	1130.00	68.15	S 03'40'46" W	68.14
C28	01'45'36"	1130.00	34.71	N 06"17"14" E	34.71
C29	26'34'04"	170.00	78.83	N 13"17"16" E	78.12
C30	14'50'31"	170.00	44.04	N 33'59'34" E	43.91
C31	09'48'09"	230.00	39.35	S 36'30'44" W	39.30
C32	19'55'57"	230.00	80.01	S 21'38'41" W	79.61
C33	18'24'21"	230.00	73.89	S 02'28'33" W	73.57
C34	17'47'26"	230.00	71.42	S 15'37'21" E	71.13
C35	16'53'17"	230.00	67.79	S 32'57'43" E	67.55
C36	03'38'34"	170.00	10.81	S 39'35'04" E	10.81
C37	37'46'01"	170.00	112.06	S 18'52'46" E	110.04
C38	90,00,00,	12.00	18.85	N 45'00'14" E	16.97
C39	90.00,00	12.00	18.85	N 44'59'46" W	16.97
C40	16'56'10"	230.00	67.99	N 08*27*51" W	67.74
C41	12'48'53"	230.00	51.44	N 23'20'22" W	51.33
C42	11'39'32"	230.00	46.80	N 35'34'35" W	46.72
C43	10.01,11,,	170.00	29.73	S 36'23'45" E	29.69
C44	31'23'24"	170.00	93.14	N 15'41'28" W	91.98
C45	31'33'16"	170.00	93.62	S 15'46'52" W	92.45
C46	11'39'32"	230.00	46.80	N 35'35'03" E	46.72
C47	13'03'59"	230.00	52.45	S 23"13'18" W	52.34
C48	16'41'04"	230.00	66.98	N 08'20'46" E	66.74
C49	90,00,00,	12.00	18.85	N 37'49'58" W	16.97
C50	90.00,00,	12.00	18.85	S 52'10'02" W	16.97
C51	07'09'48"	570.00	71.26	S 86*24*52" E	71.22
C52	07'09'48"	630.00	78.76	S 86'24'52" E	78.71
C53	89'59'52"	12.00	18.85	N 45'00'18" E	16.97
C54	90'00'24"	12.00	18.85	S 44'59'34" E	16.97
C55	07'09'48"	600.00	75.01		74.97
C56	09"51"19"	170.00	29.24	N 36*29*10" E	29.20

SHEET 2 OF 3

Job No. CO-99119 CodDwg-E:\SURVEY\CO-99119\PLAT.Dwg. by RGH

ח	_	n	T	$\overline{}$	Δ	т	T	п	N	ı
ப	С.	11		ι.	—				IΝ	ı

STATE OF OREGON COUNTY OF UMATILLA

S.S.

COUNTY OF UMATILLA I certify that this instrument was r ON September 28, 2000 at 2:25 o'clock Pm., in the record of

PLATS of said County. BOOK. PAGE

#### OFFICE OF COUNTY RECORDS

By: GEORGIA DUNAWAY Records Officer

Fees \$ 60.00 No. 2000-3760674

#### KNOW ALL MEN BY THESE PRESENTS:

That We, the undersigned, do hereby certify that we are the owners of the land as shown and described on this plot and have caused the tract of land to be Surveyed, Subdivided and Platted as HAYDEN RIVER ESTATES No. 3 in the City of Umatilla, Umatilla County, Oregon.

#### DESCRIPTION:

REAL PROPERTY LOCATED IN A PORTION OF SECTION 20, TOWNSHIP 5 NORTH, RANGE 28 EAST OF THE WILLAMETTE MERIDIAN, CITY OF UMATILLA, COUNTY OF UMATILLA, STATE OF OREGON, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS.

LOT 34 AS SHOWN ON THE PLAT OF HAYDEN RIVER ESTATES No. 2A, RECORDED ON DECEMBER 1, 1998 IN PLAT RECORDS OF THE COUNTY OF UMATILLA, OREGON AT BOOK 13 AT PAGE 130.

#### WE HEREBY CERTIFY:

That the streets or portions thereof within the limits of the plat are dedicated to the public use forever, the utility easements shown on this plat are not dedicated to the public but the right to use said easements is hereby perpetually reserved for public uti lities, and no structure other than for utility purposes shall be erected within the limits of

RIVER ESTATES, L.L.C.,

MEMBER

8-16-00 DATE

### **ACKNOWLEDGMENT**

STATE OF OREGON COUNTY OF deschute

S.S.

On this 16th day of 16th, A.D., before me, a Notary Public in and for said County and State, the foregoing instrument was acknowledged before me by the above named Member of RIVER ESTATES, L.L.C., on behalf of said Company.

NOTARY PUBLIC

RESIDING AT



SEAL

MEMBER

8-16-00 DATE

VICKIE TAKAM!

# SAGEBRUSH DEVELOPMENT, L.L.C., **ACKNOWLEDGMENT**

STATE OF OREGON COUNTY OF Deschulis

S.S.

On this 46 day of days A.D., before me, a Notary Public in and for said County and State, the foregoing instrument was acknowledged before me by the above named Member of RIVER ESTATES, L.L.C., on behalf of said Company.

Mike Jakani Redmond OK

RESIDING AT NOTARY PUBLIC

SEAL

NOTARY PUBLIC

RESIDING AT

# SURVEYOR'S CERTIFICATE & NARRATIVE

STATE OF OREGON COUNTY OF MALHEUR

S.S.

I, DANNY K. CUMMINGS, a Registered Professional Land Surveyor in and for said County and State do hereby certify that the survey of HAYDEN RIVER ESTATES No. 3 in Umatilla County, Oregon, as shown and described on this Plat was made by me and this Plat correctly shows the survey as made. I furthermore certify that monuments have been established as indicated hereon. In witness thereof I hereunto set my hand and seal this 4th day of Avaus7 , 2000 A.D. Control for this Plat is based on the record of survey by Rogers Surveying Inc. for RSA COMPANY, dated July, 1997 and filed under County Survey Number 97-124-B REGISTERED Basis of Bearings are based on said Recorded Survey.

I DANNY K. CUMMINGS HEREBY CERTIFY THAT THIS AS AN EXACT REPRODUCTION OF THE ORIGINAL. 8/14/200

PROFESSIONAL

RENEWAL DATE: 12-31-01

#### APPROVALS

WE THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT OF HAYDEN RIVER ESTATES No. 3 HAS BEEN APPROVED BY EACH OF US AND THAT IT CONFORMS TO THE REQUIREMENTS OF OUR RESPECTIVE OFFICES AND HEREUNTO SET OUR HANDS.

9-28-2000

UMATILLA COUNTY, OREGON

LIMATILLA COLINTY OREGON

9-28-00 DATE

DATE

9-28-2000

UMATILLA COUNTY, OREGON

UMATILLA COUNTY, OREGON

COUNTY ASSESSOR UMATILLA COUNTY, OREGON

Wariel HKC UMATILLA COUNTY, OREGON

28 Sept 2000

# RECORDING

THE PENNBROOK COMPANY

ACKNOWLEDGMENT

S.S. STATE OF OREGON COUNTY OF DESCHUTES

TAXES ARE PAID IN FULL AS OF THIS DATE

AND FOR SAID COUNTY AND STATE THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY THE ABOVE ON BEHALF OF SAID COMPANY

SHEET 3 OF 3



# EDWARDS & CUMMINGS. LLC

# CIVIL/STRUCTURAL ENGINEERING I.AND SURVEYING \* GPS SERVICES

S.K. Lat. A. e. as, Ambert Inturnal Christin 97814



# AFFIDAVIT OF CORRECTION

This Affidavit of Correction is being filed to correct the following drafting errors as shown on the Plat of HAYDEN RIVER ESTATES No. 3, in Book 14, at Page 13

# CORRECTION

On Sheet 1 of 3 (see Exhibit "A"):

- 1. Crow's feet on the West Side of Powerline Road, South of C7 points to the wrong pin. Distance shown is to the pin that is 25.00 feet northerly.
- 2. The Calculated point on the East side of Powerline Road, across from the above item, is shown graphically too far South. It should be drawn on the East-West Center of Section Line, and a note put on the Plat identifying those points on the East and West right-of-way of Powerline Road.

On Sheet 2 of 3 (see Exhibits "B" and "C"):

1. The distance of 91.26' should be added to the southernmost portion of Pheasant Ridge Street, and the Bearings on L26 and L27 in the line table should be corrected to N 82°49'25" W, as per the overall distance on those lines.

REGISTERED lOFESSIONA

OREGON


RECEIVED

DEC 3 1 2001


**CERTIFICATION OF AFFIDAVIT** 

I, David H. Krumbein, Umatilla County Surveyor, hereby certify that the affidavit of correction has been examined and that the changes as shown on the map are changes permitted under O.R.S. 92.170.

UMATILLA COUNTY SURVEYOR



CROW'S FEET ARE TO WRONG PIN



UNPLATTED

; ,,

EXHIBIT B

SHEET 20F3
ADD DIST. ON ROAD
CORRECT BEARINGON
LINETABLE FOR L26+L27

2001–4030365 3 of 4

SHEET 2 of 3

2001-4030365

4 of 4

AL.

JNDARY LINE

MENT LINE

T-OF-WAY

" REBAR WITH YELLOW LS 2316.

∠ER (1), (2) OR (3) WITH YELLOW LS 2735 OR LS 2316

POINT

**EASEMENT** ) BELOW

VER POLE

State of Oregon

County of Umatilla

This instrument was received and recorded on

12-31-01 at 11:25

in the record of document code type DE-AFF

Location Document number R403-0365 2001-4030365

41.00

Office of County Records

Records Officer

REGISTERED PRØFESSIONAL

OREGON JAN. 21, 1988 DANNY K. CUMMINGS 2316

RENEWAL DATE:

12-31-01

# LINE TABLE

NUMBER	DIRECTION	DISTANCE
L12	S 01'29'13" E	13.35'
L13	S 00'00'21" W	42.00'
L14	S 00'00'22" W	42.00'
L15	S 00'00'22" W	47.45'
L16	S 00.00,38, M	36.55'
L17	S 00'00'14" W	1.00'
L18	S 00°00'14" W	1.00'
L19	N 00'00'14" E	43.00'
L20	N 00'00'14" E	1.97
L21	N 00'00'14" E	1.97'
L22	S 00'00'14" W	43.97'
L23	N 00'00'22" E	5.45'
L24	N 83'01'19" E	30.01
L25	N 83'01'22" E	30.01'
L26	S 82'49'58" E	30.00' -
L27	S-82'46'11"-E	5.01'
L28	S 57'23'59" E	27.67
L29	N 88'30'47" E	30.00'

N82°49°25"W

CHRVF TARIF

N 88'30'48" E

30.00

L30