
BK 14 P. 34 193



NOTES AND PLAT RESTRICTIONS 1.) LOTS 56, 58 AND 64 SHALL ACCESS E. GLADYS DRIVE ONLY. SANDSTONE PHASE 2 2.) LOT 65 SHALL ACCESS NE 15TH. STREET ONLY. LOCATED IN THE S. 1/2 OF THE S.E. 1/4 OF THE N.W. 3.) LOT 57 SHALL NOT ACCESS TOWNSEND ROAD. 1/4 AND THE N. 1/2 OF THE N.E. 1/4 OF THE S.W. 1/4
OF SEC. 12, TWP. 4 NORTH, RGE. 28 EAST, W.M., CITY OF
HERMISTON, UMATILLA COUNTY, OREGON. 4.) FENCES ALONG THE PEDESTRIAN PATHWAY EASEMENTS SHALL NOT EXCEED A HEIGHT OF 4 FFFT. 5.) A 10' PUBLIC UTILITY AND SIDEWALK EASEMENT SHALL EXIST ALONG THE FRONTAGE OF ALL LOTS ABUTTING STREETS. 6.) A 6' PUBLIC UTILITY EASEMENT SHALL EXIST ALONG SIDE AND REAR LOT LINES EXCEPT ALONG THE LINES COMMON TO LOTS 46 AND 47, AND 69 AND 70. WHICH SHALL BE COMBINED WITH THE PEDESTRIAN EASEMENTS AS SHOWN HEREOM. COUNTY OF UMATILLA I certify that this instrument was received and 7.) THIS PLAT IS SUBJECT TO CONDITIONS IMPOSED IN COVENANTS RECORDED IN REEL ______, PAGE ______, UMATILLA COUNTY DEED RECORDS. recorded
ON January 9, 2002 (S 89'30'22" E 994.31') S 89'31'10" E 994.28' at 2:15 o'clock Pm., in the record of PLATS of said County.

BOOK PAGE E. SANDSTONE AVENUE 159.37') 159.37' DRIVE SANDSTONE OFFICE OF COUNTY RECORDS DRIVE By: ...GEORGIA DUNAWAY...Records Officer LOT 17 LOT 2 LOT 3 LOT 4 LOT 5 LOT 6 LOT 7 LOT 9 LOT 10 LOT 11 LOT 12 LOT 13 LOT 14 LOT 15 LOT 16 S 89'31'10" E 789.96 INITIAL POIN FOUND 5/8" IRON PIN PER THE PLAT OF "SANDSTONE" N89'52'51"W 0.15' HELD FOR ALIGNMENT OF THE SOUTH LINE OF "SANDSTONE". DID NOT RESET. 15.0 8.61 3.30° ઽઽ 3.21 25 25 62.38' 9.00' .05', 56 ESTRIAN 15', PED-15', SE ESTRIAN 17', AND UTILITY EASEMENT 60.00 62.38 62.50 62.50 62.50 62.50 62.50 LOT 1 15.00 4 | L07 45 | 17708.62 SF | 19713.36 SF | 19714.07 SF | 17708.62 SF | 19713.36 SF | 19714.07 SF | 17708.62 SF | 19713.36 SF E. 1/4 CORNEL SECTION 12 > N 89'59'46" N 89'59'46" E 89'30'46" E 2669.17' LOT 48 2 | LOT 49 2 | | 7500.00 S.F. LOT 43 522.30 S.F. | LOT 54 2 | LOT 55 2 | | 7500.00 S.F. | LOT 50 2 7500.00 S.F. LOT 117 62.50' 50.14' C12 5 89'31'10" E 180.14' 6' PUBLIC S 89'31'10" F 577.37 52 S 89°31'10" E 314.87' F. GLADYS DRIVE 19 32 S 89'31'10" E 262.78 25 83.94'
10' SIDEWALK
AND UTILITY
18 EASEMENT.
(CYPICAL)
10 105.94'
7500.00 S.F. 60.00' 61.75' LOT 69 | |7722.08 S.F. S 89'42'13" E (NO _S_89'42'13" E_ 89'42'13" F 99.53' E. GLADYS DRIVE □ 55.08 89'42'13" 8 15' PED-ESTRIAN AND UNLITY EASEMENT 60.00' 21.50 121.50 ROAD 56.66' LOT 66 7500.00 SUMMIT 4 Page 6 10T 67 LOT 118 LOT 63 LOT 62 7502.62 S.F. 7502.62 S.F. LOT SO | LOT 59 ^(γ) | 7502.62 S.F.I **TOWNSEND** LOT 70 | |7530.41 S.F. 18 107 71 60.00 61.75' 62.81 7504.33 S.F. 63.75′ N 89"31"10" W 450.89" 15 00 _75.00° UNPLATTED LINE TABLE NO. BEARING N 89'42'13" W DISTANCE L9 S 00'28'50' W
L11 S 00'17'47" W
L13 S 00'17'47" W
L15 S 00'17'47" W
L21 S 59'43'16' E
L22 S 59'43'16' E
L23 N 73'59'37' E
L24 N 45'23'30" W
L25 N 45'23'30" W 7.01'
13.05'
13.67'
4.09'
28.91'
28.91'
26.01'
34.83'
34.83 BASIS OF BEARINGS S 89'33'40" E ALONG THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SECTION 12. AS SHOWN ON THE PLAT OF SANDSTONE, RECORDED IN BOOK 14, PAGE 5 OF PLAT RECORDS OF UMATILLA COUNTY, OREGON. 2651. <u>LEGEND</u> SECTION OR SECTION SUBDIVISION LINE. ---- CENTERLINE. CURVE TABLE SCALE: 1"=60 FFFT RADIUS LENGTH LONG CHORD 29 15 07"
29 26 11"
4 40 35"
19 04 51"
8 50 36"
90 00 00"
90 00 00"
90 00 00"
90 20 46"
90 21 11"
90 21 11"
15 53 05"
6 16 62"
15 53 05"
6 16 44"
6 33 46"
2 26 35" 200.00 200.00 225.00 225.00 175.00 175.00 175.00 20.00 20.00 20.00 20.00 225.00 225.00 175.00 175.00 175.00 102.11, 102.75, 18.36, 74.93, 21.58, 27.01, 61.73, 1.16, 31.42, 31.42, 31.25, 31.54, 31.29, 31.56, 62.38, 20.04, 61.84, 7.46, 7.46, 7.46, 75.45 PLAT ROUNDARY SHEET 2 OF 3 • PROFESSIONAL LAND SURVEYOR FOUND SURVEY MONUMENT AS NOTED. A SUBDIVISION LOCATED IN THE S. 1/2 OF THE S.E. 1/4 FOUND 5/8" IRON PIN PER THE PLAT OF. OF THE N.W. 1/4 AND THE N. 1/2 OF THE N.E. 1/4 OF Greg E. Flowers THE S.W. 1/4 OF SEC. 12, TWP. 4 NORTH, RGE. 28 EAST, W.M., CITY OF HERMISTON, UMATILLA COUNTY, OREGON. FOR: PACIFIC WESTERN HOMES, INC. C/O PINNAGLE ENGINEERING, 2009 N.E. EDGEWATER DRIVE, PORTLAND, OREGON 97211 0 OREGON JUNE 30, 1997 GREG E. FLOWERS 02820LS SET A 5/8" X 30" REBAR WITH A YELLOW PLASTIC CAP STAMPED "TOMKINS SURVEYING" RENEWS 12/31/0 TOMKINS LAND SURVEYING, INC. DATE CALCULATED POSITION, NOTHING FOUND OR SET. 8/31/0/ 20 EAST POPLAR ST. SUITE 204 APRIL 12, 2001 WALLA WALLA, WA. 99362 I HEREBY CERTIFY THAT THIS IS A TRUE AND EXACT COPY OF THE ORIGINAL PLAT OF "SANDSTONE PHASE 2". (509) 522-4843 SCALE 115 WEST HERMISTON AV. SUITE 140 HERMISTON, OR. 97838 (541) 564-4448 SANDSTONEPH3B.DWG

APPROVALS

CITY OF HERMISTON PLANNING COMMISSION & CITY COUNCIL

THIS IS TO CERTIFY THAT THIS PLAT HAS BEEN APPROVED BY THIS PLANNING COMMISSION AND THIS CITY COUNCIL WHO HAVE REVIEWED IT THOROUGHLY AND ACKNOMEDGE THAT IT MEETS ALL THE REQUIREMENTS OF THE SUBDUNISON ORDINANCES AS ESTABLISHED BY THE CITY OF HEMISTON, OREGON AND IS NOW READY FOR FILING IN THE "RECORD OF TOWN PLATS OF THE COUNTY OF UMATILLA, SYATE OF OREGON.

THIS 13 DAY OF CHAMPIAN OF THE HERMSTO

THIS 13 DAY OF NO

UMATILLA COUNTY SURVEYOR

THIS IS TO CEPTIFY THAT I HAVE REVIEWED THIS PLAT OF "SAMESTONE PHASE 2" AND I HEREBYY ACKNOWLEDGE THAT IT COMPLETE WITH THE STANDARDS SET FORTH IN ORS CHAPTER 2 AND I THEREFORE APPROVE THIS PLAT TO BE ACCEPTABLE FOR PILING M, THE "RECORD OF TOWN PLATS" OF THE COUNTY OF UMBILLS, STATE OF ORECOM.

THIS 18 DAY OF Sept. 2001 Wand H Klen

TON - CITY COUNCIL

UMATILLA COUNTY COMMISSIONERS

THIS IS TO CERTIFY THAT WE HAVE REVIEWED THIS PLAT OF "SANDSTONE PHASE 2" AND IT IS HEREBY APPROVED FOR FILING IN THE "RECORD OF TOWN PLATS" OF THE COUNTY OF UMATILLA. STATE OF OREGON.

UMATILLA COUNTY ASSESSOR & TAX COLLECTOR

THIS IS TO CERTIFY THAT WE HAVE REVIEWED THIS PLAT OF "SANDSTONE PHASE 2" AND HAVE FOUND THAT ALL TAXES AND LEINS HAVE BEEN PAID ON THE LANDS PORTRAYED IN THIS PLAT AND WE HEREBY APPROVE THIS PLAT TO BE FILED IN THIS OFFICE OF THE COUNTY RECORDS.

THIS 9th DAY OF JAMELLEY 2002 BY:

HERMISTON IRRIGATION DISTRICT

THIS IS TO CERTIFY THAT HE HAVE REVIEWED THIS PLAT OF "SANDSTONE PHASE 2" AND HEREBY APPROVE THE SAME FORMED IN THE "RECORDS OF TOWN PLATS" OF THE COUNTY OF UNATILLA, STATE OF OREGON. THIS OF ORY OF A DEATH 2001 BY:

SURVEYOR'S CERTIFICATE

I, GREG E. FLOMERS, HERBY CERTIFY THAT I HAVE CORRECTLY SURVEYED AND MARKED WITH PROPER MONUMENTS THE LANDS REPRESENTED ON THE ANNEXED SUBDIVISION PLAT OF "SANDSTONE PHASE 2" BEING A PORTION OF A TRACT OF LAND BECORDED IN PLAT OF "SANDSTONE PHASE 2" BEING A PORTION OF A TRACT OF LAND BECORDED. SAID SUBDIVISION BEING LOCATED IN THE SOUTH ORE-MAILE OF THE SOUTHERST ON-E-MORTHREST OT THE MORTHEST STANDSTONE PHASE OF "BEING A PORTINE STANDSTONE" OF THE MORTHEST ON BEING SOUTHWEST ON BEING A PORTINE OF SECTION 12. TOWNSHIP 4 NORTH, RANGE 28, EAST OF THE MILLAMETTE MERIDIAN, IN THE CITY OF HERMISTON, UMATILLA COUNTY, ORGON, THE INITIAL POINT OF SAID "SANDSTONE PHASE 2" BEING A FOUND 5/8" IRON ROO WITH A YELLOW PLASTIC CAP INSCRIBED "GAL LAND SURVENING, MARKEN THE NORTH AST CORNER OF LOT 1 OF "SANDSTONE" AS SHOWN ON THE OFFICIAL PLAT THEREOF RECORDED IN BOOK 14, PAGE 5 OF THE RECORD OTTOM PLATS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN PLATS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF UMATILLA COUNTY. WHICH I HAVE REPLACED TO TOWN ALLYS OF THE TOWN AND THE PROPERS 2" SET INSDE OF A 1 1 1/2" X 24" GALVANIZED INFORMATION AND THE TOWN AND THE TOWN AND THE TOWN AND THE TOWN A

BEGINNING AT THE INITIAL POINT BEING A 5/8" IRON PIN WITH A 2" ALUMINUM CAP STAMPED TOWNINS SUPPERING" "WITHAL POINT SANDSTONE PHASE 2" ATTACHED, SET INSDEC OF A 1 1/2" ALUMINUM SUPPERING" "WITHAL POINT SANDSTONE COORDING TO ACCURATE A 100 MICHAEL POINT SANDSTONE COORDING TO THE POINT OF THE POINT SAND SANDSTONE A 100 MICHAEL POINT SAND SANDSTONE A 100 MICHAEL POINT SAND SANDSTONE" A 105TANCE OF C7 P83.86 FEET TO A POINT ON THE WESTERLY RIGHT OF WAY OF ME WARRY DRIVE. THENCE SSP43" IE" ALONG THE SOUTH LINE OF SAND "SANDSTONE" A 105TANCE OF SANDSTONE" A 105TANCE OF SANDSTONE A 105TANCE OF PROLONATION OF SAND SOUTH LINE A 105TANCE OF SANDSTONE A 105TANCE OF PROLONATION OF SAND SOUTH LINE A 105TANCE OF 135TANCE OF TOWN OF WAY OF THE WARRY DRIVE. THE PROLONATION OF SAND SOUTH LINE A 105TANCE OF 135.15 FEET TO A POINT ON THE WESTERLY RIGHT OF WAY OF TOWNSOND FOR A 105TANCE OF THE WAS TOWN OF WAY OF TOWNSOND FOR A 105TANCE OF THE WAS TOWN OF WAY OF TOWNSOND FOR A 105TANCE OF THE WAS THE WA ROAD BEING A LINE DRAWN PARALLEL WITH AN 20.00 FEET WEST, WHEN MEASURED AT RIGHT ANGELS, FROM THE NORTH, AND SOUTH COLTRENIE OF SECTION 12. TOWNSHE' A NORTH, RANGE ANGELS, FROM THE NORTH, RANGE AND A RIGHT OF SECTION 12. TOWNSHE' AND FINANCE AND A RIGHT OF 28.58 FEET, THENCE HOSSITIO'W A DISTANCE OF 49.88 FEET, THENCE HOSSITIO'W A DISTANCE OF 103.34 FEET, THENCE SOUZ'SO'W A DISTANCE OF 50.50 FEET, THENCE SOUZ'SO'W A DISTANCE OF 103.34 FEET, THENCE SOUZ'SO'W A DISTANCE OF 50.50 FEET, THENCE NBSYL'S'W A DISTANCE OF 50.50 FEET TO A SOUTH OF 50.50 FEET TO THE SOUTH LINE OF LOT 10.50 FEET TO A SOUTH OF 50.50 FEET TO A SOUTH OF 50.50 FEET TO A SOUTH OF 50.50 FEET TO THE SOUTH LINE OF LOT 10.50 FEET TO A SOUTH OF 50.50 FEET TO THE SOUTH LINE OF LOT 10.50 FEET TO THE SOUTH LINE OF LOT 1

CONTAINING 6.89 ACRES MORE OR LESS.

SILY & Flavere GREG E. FLOWERS, OREGON PLS NO. 02820LS

REGISTERED

Lug E. 7 lane OREGON JUNE 30, 1997 GREG E. FLOWERS 02820LS RENEWS 12/31/01 8/31/01

I HEREBY CERTIFY THAT THIS IS A TRUE AND EXACT COPY OF THE ORIGINAL PLAT OF "SANDSTONE PHASE 2".

SANDSTONE PHASE 2

LOCATED IN THE S. 1/2 OF THE S.E. 1/4 OF THE N.W. 1/4 AND THE N. 1/2 OF THE N.E. 1/4 OF THE S.W. 1/4
OF SEC. 12, TWP. 4 NORTH, RGE. 28 EAST, W.M., CITY OF
HERMISTON, UMATILLA COUNTY, OREGON.

DEDICATION

KNOW ALL MEN BY THESE PRESENTS, THAT PAGFIC MESTERN HOMES, INC. IS THE OWNERS OF THE LANDS DESCRIBED IN THE SURVEYOR'S CORTIFICATE AND AS SHOWN ON THE ANNEXED MAP. THE PAGE AND TO BE HARREST DESCRIPTION OF THE PAGE AND THE COTT OF THE PAGE AND THE PAGE

NOTARY

PUBLIC

Out Out CHET ANTONSEN
PRESIDENT OF PACIFIC WESTERN HOMES, INC.

ACKNOWLEDGEMANT
STATE OF Washington
COUNTY OF Walle Walle

WITHESS MY HAND AND OFFICIAL SEAL THIS TO DAY OF LIGHT 2001.
MY COMMISSION EXPIRED LINES TO THE TOTAL 2001.

NOTARY PUBLIC TO THE STATE OF What Light RESIDING IN

STATE OF OREGON, STATE OF OREGON, COUNTY OF UMATILLA } ** I certify that this instrument was received and

ON at 2:15 o'clock Pm., in the record of PLATS of said County.
BOOK PAGE

OFFICE OF COUNTY RECORDS

By: ...GEORGIA DUNAWAY ... Records Officer

Fees \$ 60.00 No. 2002-4040266

SHEET 3 OF 3

A SUBDIVISION LOCATED IN THE S. 1/2 OF THE S.E. 1/4 OF THE N.W. 1/4 AND THE N. 1/2 OF THE N.E. 1/4 OF THE S.W. 1/4 OF SEC. 12, TWP. 4 NORTH, RGE. 28 EAST, W.M., CITY OF HERMISTON, UMATILLA COUNTY, OREGON. FOR: PACIFIC WESTERN HOMES, INC. C/O PINNACLE ENGINEERING, 2009 N.E. EDGEWATER DRIVE, PORTLAND, OREGON 97211

TOMKINS LAND SURVEYING, INC. 20 EAST POPLAR ST. SUITE 204

WALLA WALLA, WA. 99362 (509) 522-4843

115 WEST HERMISTON AV. SUITE 140 HERMISTON, OR. 97838

(541) 564-4448 SANDSTONEPH3B.DWG

APRIL 12, 2001

SCALE 1"=100"