BK 15 PG 92

PENDLETON HOMES, PHASE I

AN ADDITION TO THE CITY OF PENDLETON, OREGON. A SUBDIVISION OF PARCEL 2 OF UMATILLA COUNTY PARTITION PLAT NO. 2011-09, SITUATED IN THE NW 1/4 OF SECTION 15, T2N., R32E., W.M., UMATILLA COUNTY, OREGON.

SHEET 1 OF 4

# PLAT SHEET INDEX

SHEET 1 OF 4 - PLAT SHEET INDEX.

SHEET 2 OF 4 - ANNOTATION OF OVERALL PLAT BOUNDARY AND LOT 33.

SHEET 3 OF 4 - ANNOTATION OF LOTS 1 THROUGH 32, PUBLIC UTILITY EASEMENTS AND STREETS.

SHEET 4 OF 4 - APPROVALS, SURVEYORS CERTIFICATE & NARRATIVE & OWNERS DECLARATION & DEDICATION.

RECEIVED BY
Umatilia County Surveyor
Date: 06/25/2014
Rec'd By: GNeosky
No.: 14-098-B

RECORDING INFORMATION
UMATILLA COUNTY OFFICE OF RECORDS:

STATE OF OREGON,
COUNTY OF UMATILLA
I certify that this instrument was received and recorded

recorded
ON June 24, 2014
at 11:27 o'clock Am., in the record of
PLATS of said County.

BOOK PAGE

OFFICE OF COUNTY RECORDS

By: ...Steve Churchill...Records Officer

Fees \$ 88.00

No. 2014-6180215

Slide

I CERTIFY THIS IS AN EXACT COPY OF SHEET 1 OF 4 OF PENDLETON HOMES, PHASE I.

Will. R. Well WILLIAM R. WELLS, PLS REGISTERED PROFESSIONAL LAND SURVEYOR

Will. R. Wells
OREGON

JULY 22, 1977 WILLIAM R. WELLS 1106 RENEWS 6/30/16 WELLS SURVEYING


1 SW NYE AVENUE, SUITE B
P.O. BOX 1696
PENDLETON, OR 97801
PHONE: (541) 276-6362


DATE: 10/13 DR. BY: WRW/DMT

CK. BY: WRW NO: 12-1382

PROJECT: \PHOMESPLATS1

PENDLETON HOMES,
PHASE I





#### PENDLETON HOMES, PHASE I

AN ADDITION TO THE CITY OF PENDLETON, OREGON. A SUBDIVISION OF PARCEL 2 OF UMATILLA COUNTY PARTITION PLAT NO. 2011-09, SITUATED IN THE NW 1/4 OF SECTION 15, T2N., R32E., W.M., UMATILLA COUNTY, OREGON.

SHEET 4 OF 4

#### **APPROVALS**

#### CITY OF PENDLETON

PENDLETON CITY PLANNING COMMISSION THE ACCOMPANYING PLAT IS HEREBY APPROVED THIS

PENDLETON CITY SURVEYOR THE ACCOMPANYING PLAT IS HEREBY APPROVED THIS

16 DAY OF \_ June

#### **UMATILLA COUNTY**

#### UMATILLA COUNTY SURVEYOR

I CERTIFY I HAVE EXAMINED THE ACCOMPANYING PLAT, THAT IT COMPLIES WITH THE LAWS OF THE STATE OF OREGON WITH REFERENCE TO THE FILING AND RECORDING OF SUCH PLATS, AND I THEREFORE APPROVE SAID PLAT FOR SIGNATURE BY THE COUNTY COMMISSIONERS OF UMATILLA COUNTY, OREGON.

DATED THIS 24 DAY OF JUNE

#### UMATILLA COUNTY COMMISSIONERS

THE ACCOMPANYING PLAT IS APPROVED FOR FILING AND RECORDING IN THE RECORD OF PLATS OF UMATILLA COUNTY BY THE UNDERSIGNED, BY IT'S ORDER.

DATED THIS 24 DAY OF JUNE

ASSESSOR AND TAX COLLECTOR

WE, THE ASSESSOR AND THE TAX COLLECTOR OF UMATILLA COUNTY. OREGON, DO HEREBY CERTIFY THAT WE HAVE EXAMINED THE TAX

RECORDS RELATIVE TO THE LAND COVERED BY THE ACCOMPANYING PLAT AND THAT ALL AD/VALOREM AND SPECIAL ASSESSMENTS DUE PURSUANT TO LAW HAVE BEEN ASSESSED AND COLLECTED.

COUNTY TAX COLLECTOR

COUNTY ASSESSOR

## OWNERS DECLARATION & DEDICATION

PENDLETON AFFORDABLE HOUSING, LLC, AN OREGON LIMITED LIABILITY COMPANY, AS CONTRACT PURCHASER, DOES HEREBY ESTABLISH AND ACKNOWLEDGE THIS PLAT AS THE OFFICIAL MAP AND PLAT OF PENDLETON HOMES, PHASE I, AN ADDITION TO THE CITY OF PENDLETON, OREGON AND DOES HEREBY DEDICATE THE STREET RIGHT-OF-WAY AND PUBLIC UTILITY EASEMENTS SHOWN OR NOTED WITHIN THE PLAT BOUNDARY FOR

PENDLETON AFFORDABLE HOUSING, LLC, FURTHER DECLARES THAT THE STREETS NAMED JERARD CIRCLE, JONES CIRCLE, KEPLEY CIRCLE AND KIDDER CIRCLE ARE PRIVATE STREETS TO BE OPERATED AND MAINTAINED AS COMMON AREAS BY THE HOMEOWNERS ASSOCIATION OF PENDLETON HOMES, PHASE I AND THAT THERE IS A PERPETUAL, NON-EXCLUSIVE, PUBLIC UTILITY EASEMENT, INGRESS-EGRESS EASEMENT AND FIRE AND EMERGENCY VEHICLE ACCESS EASEMENT RESERVED OVER, UNDER AND ACROSS ALL AREAS WITHIN NAMED PRIVATE STREET LIMITS.

PENDLETON AFFORDABLE HOUSING, LLC

wante.

SAJ T/ SIVANJEE, MANAGING MEMBER

**ACKNOWLEDGMENT** STATE OF OREGON)

COUNTY OF Vamhill

THIS INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS LAY OF

. 2014. BY SAJ T. JIVANJEE.

COMMISSION NUMBER: 458 448

THE CITY OF PENDLETON, AN OREGON MUNICIPAL CORPORATION, AS FEE OWNER AND CONTRACT SELLER, DOES HEREBY ESTABLISH AND ACKNOWLEDGE THIS PLAT AS THE OFFICIAL MAP AND PLAT OF PENDLETON HOMES, PHASE I, AN ADDITION TO THE CITY OF PENDLETON, OREGON.

THE CITY OF PENDLETON DOES HEREBY DEDICATE THE STREET RIGHT-OF-WAY AND PUBLIC UTILITY EASEMENTS SHOWN OR NOTED WITHIN THE PLAT BOUNDARY FOR

THE CITY OF PENDLETON FURTHER DECLARES THAT THE STREETS NAMED JERARD CIRCLE, JONES CIRCLE, KEPLEY CIRCLE AND KIDDER CIRCLE ARE PRIVATE STREETS TO BE OPERATED AND MAINTAINED AS COMMON AREAS BY THE HOMEOWNERS
ASSOCIATION OF PENDLETON HOMES, PHASE I. THE CITY OF PENDLETON HEREBY
RESERVES A PERPETUAL, NON-EXCLUSIVE, PUBLIC UTILITY EASEMENT, INGRESS-EGRESS
EASEMENT AND FIRE AND EMERGENCY VEHICLE ACCESS EASEMENT OVER, UNDER AND ACROSS ALL AREAS WITHIN NAMED PRIVATE STREET LIMITS.

CITY OF PENDLETON

**ACKNOWLEDGMENT** STATE OF OREGON)

COUNTY OF UMATILLA)

2014, PERSONALLY APPEARED THE ABOVE NAMED MAYOR AND CITY RECORDER OF THE CITY OF PENDLETON, AND EACH BEING DULY SWORN, DID SAY THAT THEY ARE THE MAYOR AND CITY RECORDER OF THE CITY OF PENDLETON, A MUNICIPAL CORPORATION IN THE STATE OF OREGON, AND THIS INSTRUMENT WAS SIGNED ON BEHALF OF SAID, CORPORATION BY AUTHORITY OF IT'S COUNCIL.

MY COMMISSION EXPIRES: \_

SURVEYORS CERTIFICATE & NARRATIVE

I, WILLIAM R. WELLS, A PROFESSIONAL LAND SURVEYOR IN THE STATE OF OREGON, DO HEREBY CERTIFY THAT I HAVE CORRECTLY SURVEYED AND MARKED WITH LEGAL MONUMENTS, IN ACCORDANCE WITH O.R.S. CHAPTER 92, AS REVISED, AND THE CITY OF PENDLETON DEVELOPMENT ORDINANCE, THE LANDS SHOWN IN THE ACCOMPANYING PLAT OF "PENDLETON HOMES, PHASE I".

THE SURVEY WAS MADE FROM CONTROLLING MONUMENTS RECOVERED ON THE BOUNDARY OF PARCEL 2 OF UMATILLA COUNTY PARTITION PLAT NO. 2011-09. THE RECORD SURVEY SHOWING RECORD VERSES MEASURED COURSES ON THE BOUNDARY OF PARCEL 2 IS RECORDED AS UMATILLA COUNTY SURVEY NO. 13-530-C.

THE SURVEY WAS MADE BY A 2 PERSON CREW USING TRIMBLE GEODETIC GPS RECEIVERS OPERATED IN REAL TIME KINEMATIC MODE. MONUMENTS FOUND AND TIED WERE VERIFIED BY REDUNDANT GPS MEASUREMENTS.

PER ORS CHAPTER 92.065 AND 92.070, I CERTIFY THAT INTERIOR MONUMENTS IN THIS SUBDIVISION WILL BE SET, IN ACCORDANCE WITH ORS CHAPTER 92.060, WITHIN 60 DAYS OF INTERIOR STREET PAVING AND SIDEWALK CONSTRUCTION OR BY OCTOBER 1, 2014, WHICHEVER

#### REAL PROPERTY DESCRIPTION

PARCEL 2 OF UMATILLA COUNTY PARTITION PLAT NO. 2011-09, RECORDED APRIL 18, 2011 IN THE RECORD OF PLATS OF UMATILLA COUNTY AS INSTRUMENT NO. 2011-5770527, UMATILLA COUNTY OFFICE OF RECORDS.

SUBJECT TO, A 15 FOOT WIDE PERPETUAL NON-EXCLUSIVE EASEMENT GRANTED BY THE CITY OF PENDLETON TO HEER AND PACIFIC POWER AND LIGHT COMPANY, PER INSTRUMENT NO. 1994-190376, UMATILLA COUNTY OFFICE OF RECORDS, AND OTHER EASEMENTS AND ENCUMBRANCES OF RECORD.

> **REGISTERED PROFESSIONAL** LAND SURVEYOR

OREGON JULY 22, 1977

WILLIAM R. WELLS RENEWS 6/30/16

UMATILLA COUNTY OFFICE OF RECORDS:

STATE OF OREGON. COUNTY OF UMATILLA I certify that this instrument was received and recorded

June 24, 2014 at 11:27 o'clock Am., in the record of PLATS of said County. BOOK **PAGE** Slide 15

RECORDING INFORMATION

OFFICE OF COUNTY RECORDS

By: ...Steve Churchill...Records Officer

Fees \$ 88.00 No. 2014-6180215

WELLS SURVEYING SW NYE AVENUE, SUITE B P.O. BOX 1696 PENDLETON, OR 97801 PHONE: (541) 276-6362

RECEIVED BY

**Umatilla County Surveyor** 

Date: 06/25/2014

Rec'd By: Ghlensley

DATE: 10/13 DR. BY: WRW/DMT CK. BY: www. NO: <sub>12-1382</sub>

PROJECT:

\PHOMESPLATS4

PENDLETON HOMES, PHASE I

I CERTIFY THIS IS AN EXACT COPY OF SHEET 4 OF 4 OF PENDLETON HOMES, PHASE !. .

WILLIAM R. WELLS, PLS

AFTER RECORDING RETURN TO: Umatilla County Survey Department 3920 Westgate Pendleton, OR 97801



State of Oregon County of Umatilla

Instrument received and recorded on 1/14/2015 11:52:55 AM

in the record of instrument code type DE-AFF

Instrument number 2015-6250252 Fee \$64.00

Office of County Records

Records Officer 1024301 P3

Umatilla County
Received:1/14/2015

### AFFIDAVIT INTERIOR MONUMENTATION

I, William R. Wells, am the surveyor for the Plat of Pendleton Homes, Phase I. The Plat was recorded June 24, 2014 at Book 1**5** Page 92, in the Record of Plats of Umatilla County, Oregon as Instrument No. 2014-6180215, Umatilla County Office of Records.

This is to certify that this subdivision plat has been correctly surveyed and monumented with proper monuments as depicted on the recorded subdivision plat except as explained in this Affidavit. Monuments were fully established as of January 2, 2015.

Due to the nature of the subdivision, ("Zero" lot lines, narrow streets and rock walls on or near property lines), different monuments than those depicted on the plat were established in certain areas, with the consent of the Umatilla County Surveyor. Descriptions of areas where different monuments were monuments were established are:

- 1. A rock wall is constructed on the property line common to Lots 5 through 8 and 9 through 12. The Southerly corners between Lots 5 and 6, Lots 6 and 7, and Lots 7 and 8 were referenced by 5/8 inch by 24 inch rebars with 1 ½" red plastic caps stamped "ORPLS 1106 WAPLS17372", established North 00°00'00'East 4.00 feet from corner points. The Northerly corners between Lots 9 and 10, Lots 10 and 11 and Lots 11 and 12 were referenced by 5/8 inch by 24 inch rebars with red plastic caps stamped "ORPLS 1106 WAPLS 17372" established North 00°00'00" East, 4.00 feet from their corner points.
- 2. Corner positions for monuments on each end of Curve 7 on Lot 1 and Curve 9 on Lot 5 fall in the concrete sidewalk and are monumented with a lead plug in drilled hole with a <sup>3</sup>/<sub>4</sub> inch brass washer stamped "PLS 1106" screwed into the lead plug.
- 3. Corner positions for monuments on each end of Curve 14 on Lot 9 and Curve 15 on Lot 13 fall in the concrete sidewalk and are monumented with a lead plug in drilled hole with a <sup>3</sup>/<sub>4</sub> inch brass washer stamped "PLS 1106" screwed into the lead plug.

- 4. Corner positions for monuments on each end of Curve 18 on Lot 18 and on the West end of Curve 19 on Lot 23 fall in the concrete sidewalk and are monumented with a lead plug in drilled hole with a <sup>3</sup>/<sub>4</sub> inch brass washer stamped "PLS 1106" screwed into the lead plug.
- 5. Corner positions for monuments on West end of Curve 22 on Lot 28 and on the West end of Curve 4 on Lot 33 fall in the concrete sidewalk and are monumented with a lead plug in drilled hole with a <sup>3</sup>/<sub>4</sub> inch brass washer stamped "PLS 1106" screwed into the lead plug.
- 6. Corner positions at the Southwest corners of Lots 2, 3 and 4 and the Northwest corners of Lots 6, 7 and 8 fall in the concrete sidewalk. Reference monuments to the Southwest corners of Lots 6, 7 and 8 were set in the centerline of Jerard Circle, South 00°00'00" West, 11.00 feet from the corner points. Corner positions at the Northwest corners of Lots 6, 7 and 8 were set in the centerline of Jerard Circle, North 00°00'00" East, 11.00 feet from the corner points. Reference monuments are 1 ½ inch stainless steel disks set in the asphalt with 2 inch "magspikes".
- 7. Corner positions at the Southwest corners of Lots 10, 11 and 12 and the Northwest corners of Lots 14, 15, 16 and 17 fall in the concrete sidewalk. Reference monuments to the Southwest corners of Lots 10, 11 and 12 were set in the centerline of Jones Circle, South 00°00'00" West, 11.00 feet from the corner points. Reference monuments to the Northwest corners of Lots 14, 15, 16 and 17 were set in the centerline of Jones Circle, North 00°00'00" East, 11.00 feet from the corner points. Reference monuments are 1 ½ inch stainless steel disks set in the asphalt with 2 inch "magspikes".
- 8. Corner positions at the Southwest corners of Lots 19, 20, 21 and 22 fall in the concrete sidewalk. Corner positions at the Northwest corners of Lots 24, 25, 26 and 27 fall South of the existing curb where a sidewalk will be constructed in the future. Reference monuments to the Southwest corners of Lots 19, 20, 21 and 22 were set in the centerline of Kepley Circle, South 00°00'00" West, 11.00 feet from the corner points. Reference monuments to the Northwest corners of Lots 24, 25, 26 and 27 were set in the centerline of Kepley Circle, North 00°00'00" East, 11.00 feet from the corner points. Reference monuments are 1 ½ inch stainless steel disks set in the asphalt with 2 inch "magspikes".
- 9. The Southeast corner of Lot 4 falls near the East edge of a concrete block retaining wall. I set a reference monument to said Southeast corner in the top of the concrete block retaining wall, South  $90^{\circ}00'00''$  West, 2.40 feet from the corner point. The reference monument is a drilled hole with lead plug with a  $\frac{3}{4}$  inch brass washer stamped "PLS 1106" screwed into the lead plug.
- 10. The 5/8 inch rebar monuments from Partition Plat No. 2011-09, at the West end of Curve 3 and North end of Curve 8 were destroyed by construction and were not re-established. The 5/8 inch rebar from Partition Plat No. 2011-09, which bears North 00°30'44" East, 10.17 feet from the Northwest corner of Lot 1, was destroyed by construction and was not re-established.

2015-6250252 2 of 3



Willi R. Wells

William R. Wells, PLS, License No. 1106

This instrument was acknowledged before me on this Aday of January, 2015.

by William R. Wells

Notary Public for the State of Oregon

Notary I done for the State of Ore

My Commission expires:

Approved by: David H. Krumbein, County Surveyor

[Surveyor's Seal]

REGISTERED PROFESSIONAL

LAND SURVEYOR

OREGON

WILLIA AR. WELLS

1106

renews 6-30-16

14 January 2015 Date

OFFICIAL SEAL

DAWN M TUBBS

NOTARY PUBLIC-OREGON

COMMISSION NO. 471536

MY COMMISSION EXPIRES OCTOBER 14, 2016