	Traverse Line Data From Point Centerline Fruitvale Road North 1/4 Corner Section 19 GR-1 North 1/4 Corner Section 19	To Point GR-1 GR-1 GR-2 South 1/4 Corner Section 19	Bearing S03°58'02"W S04°29'09"W S02°17'22"E S00°30'27"E	Distance 192.31' 172.38'(\$04*30'36"W, 172.31', Survey 03-59-B) 941.91' 5361.63'(Measured and Record, Survey 03-59-B)	Oregon State Plane Coordin NAD '83('91) North Zone 36 ————————————————————————————————————	ates 01 (International Fee Northing ———— 853, 931.27 853, 759.15 852, 819.26	Easting 8, 713, 840.39 8, 713, 831.19 8, 713, 892.26
ALIZED AT A LATER DATE)	Because the legalization legalization order is on file Bearings shown are true	ey was to monument a 40-foot wide oad at the request of the Umatill djacent to the road are described survey I did, Survey No. 03-59-B r the right-of-way centerline of hearing has not yet been held, so before assuming the right-of-way and were obtained by rotating grips. Multiply distances shown by a tances. dusing a Sokkia Radian GPS systemethods in my previous survey and	urveyors and othe shown on this pl d bearings 1°25'4	a possible legalization Commissioners. s to the north-south centerline he north-south centerline of the rs should make sure a at actually exists. I' clockwise about the nd elevation factor of operated from a control e set using RTK methods.			
	 			TAX LOT 100 JOE CHVATAL			TAX LOT IOI LORENCE AND MARIANN PFAFFLE
See Detail "A" (Not To Scale)	No ar	orth-South Centerline Section 19 and Proposed Centerline Grabner Lan	e	S00 °30 '27 "E GRABNER LANE			-GR-2 Station 11+33.18 14.29' Lt.
Detail "A" 00. 00. 0. 0. 0. 0. 0.				LEGEND			MATCH LINE - SEE SHE
Station 0+20.00			Found 1" as North Found rai Section 19 Found 5/8 the south PP&L pole	——————————————————————————————————————	Survey No. 03-59-B as South 1/4 Corner	TAX LOT 400 RHEA GRAY	Note: Monuments Set April, 2003 Umatilla County Road Department 3920 Westgate Pendleton, Oregon 97801 Phone 541/278-5424
	SCALE 1"=	100	——————————————————————————————————————	—— Edge of traveled road —— Proposed right-of-way line	RECEIVED I Umatilla County Date	Surveyor GARY R. RI 2627 RENEWS 12/3	Date of Survey: February, 2003 OBERTS

•

	Oregon State Plane Coordinates NAD '83('91) North Zone 3601 (International Feet)	Traverse Li					
	Point Northing Easting	From Point		Bearing	Distance		
	GR-2 852, 819.26 8, 713, 892.26 GR-3 851, 539.32 8, 713, 904.15	GR-1 GR-2 GR-3	GR-2 GR-3 GR-4	S02 °17 '22"E S00 °53 '45" w S06 °27 '41"E	941.91° 1280.04° 304.45°		
							TAX LOT 200 HAROLD AND DELORES M
	TAX LOT 20! JUDITH TOKAS						HAROLD AND DELORES MIC
TAX LOT IOI LORENCE AND MARIANN PFAFFLE							
	North-South Centerline Section 19 and Proposed Centerline Grabner Lane				*		
GR-2 Station 11+33.18 14.29' Lt.		×				×===×===×	x ==== x == = = = = = = = = = = = = = =
	GRABNE	R LANE	-××	XX	X	X	
	500.30	U,524.E					
INE - SEE SHEET 1	Soo *30	0'27"E					GR-3 Station 24+12.84 17.06' Rt. HOLLING
ATCH LINE - SEE SHEET 1	Soo *30	0'27"E					H LINE - SEE SHE
MATCH LINE - SEE SHEET 1	LEGEND Set 5/8" X 30" iron rebar with yellow plastic cap marked "UCPWDLS2627" Found 1" O.D. iron pipe 8" below road surface I accepted in Survey No. 03-as North 1/4 Corner Section 19 Found railroad spike stamped "LS2627" with punch mark I set as South 1/4 Corner 19, Survey No. 03-59-B	3-59-B Corner					CH LINE - SEE SHE
MATCH LINE - SEE SHEET 1	LEGEND Set 5/8" X 30" iron rebar with yellow plastic cap marked "UCPWDLS2627" Found 1" O.D. iron pipe 8" below road surface I accepted in Survey No. 03- as North 1/4 Corner Section 19	3-59-B Corner					Note: Monuments Set April, 2003
MATCH LINE - SEE SHEET 1	LEGEND Set 5/8" X 30" iron rebar with yellow plastic cap marked "UCPWDLS2627" Found 1" O.D. iron pipe 8" below road surface I accepted in Survey No. 03-as North 1/4 Corner Section 19 Found railroad spike stamped "LS2627" with punch mark I set as South 1/4 Section 19, Survey No. 03-59-8 Found 5/8" iron rebar with yellow plastic cap marked "UCPWDLS2627" I sthe southwest reference to the North 1/4 Corner Section 19, Survey No. 03	3-59-B Corner					Note: Monuments Set April, 2003 Umatilla County Road Department 3920 Westgate Pendleton, Oregon 97801
MATCH LINE - SEE SHEET 1	LEGEND Set 5/8" X 30" iron repar with yellow plastic cap marked "UCPWDLS2627" Found 1" 0.D. iron pipe 8" below road surface I accepted in Survey No. 03-as North 1/4 Corner Section 19 Found railroad spike stamped "LS2627" with punch mark I set as South 1/4 (Section 19, Survey No. 03-59-B) Found 5/8" iron rebar with yellow plastic cap marked "UCPWDLS2627" I set the southwest reference to the North 1/4 Corner Section 19, Survey No. 03 PPSL pole Guy wire and anchor Telephone pedestal ———————————————————————————————————	3-59-B Corner					Note: Monuments Set April, 2003 Umatilla County Road Department 3920 Westgate Pendleton, Oregon 97801 Phone 541/278-5424 Survey for the Legalization of Grabner
MATCH LINE - SEE SHEET 1	LEGEND Set 5/8" X 30" iron rebar with yellow plastic cap marked "UCPWDLS2627" Found 1" 0.D. iron pipe 8" below road surface I accepted in Survey No. 03-as North 1/4 Corner Section 19 Found railroad spike stamped "LS2627" with punch mark I set as South 1/4 (Section 19, Survey No. 03-59-B Found 5/8" iron rebar with yellow plastic cap marked "UCPWDLS2627" I set the southwest reference to the North 1/4 Corner Section 19, Survey No. 03 PP&L pole Guide PP&L pole Telephone pedestal	SCALE 1"=50'				REGISTERED	Note: Monuments Set April, 2003 Umatilla County Road Department 3920 Westgate Pendleton, Oregon 97801 Phone 541/278-5424 Survey for the Legalization of Grabner Public Road No. 3008
MATCH LINE - SEE SHEET 1	LEGEND Set 5/8" X 30" iron rebar with yellow plastic cap marked "UCPWDLS2627" Found 1" 0.D. iron pipe 8" below road surface I accepted in Survey No. 03-as North 1/4 Corner Section 19 Found railroad spike stamped "LS2627" with punch mark I set as South 1/4 Section 19, Survey No. 03-59-B Found 5/8" iron rebar with yellow plastic cap marked "UCPWDLS2627" I sthe southwest reference to the North 1/4 Corner Section 19, Survey No. 03 PPSL pole Guy wire and anchor Telephone pedestal ———————————————————————————————————	3-59-B Corner Set as 3-59-B				REGISTERED PROFESSIONAL LAND SURVEYOR	Note: Monuments Set April, 2003 Umatilla County Road Department 3920 Westgate Pendleton, Oregon 9780 Phone 541/278-5424 Survey for the Legalization of Grabner Public Road No. 3008 Located in Section 19 Township 6 North, Range 35 E.W.M.
MATCH LINE - SEE SHEET 1	LEGEND Set 5/8" X 30" iron rebar with yellow plastic cap marked "UCPWDLS2627" Found 1" 0.D. iron pipe 8" below road surface I accepted in Survey No. 03-as North 1/4 Corner Section 19 Found railroad spike stamped "LS2627" with punch mark I set as South 1/4 (Section 19, Survey No. 03-59-B) Found 5/8" iron rebar with yellow plastic cap marked "UCPWDLS2627" I sithe southwest reference to the North 1/4 Corner Section 19, Survey No. 03 PPSL pole Guy wire and anchor Telephone pedestal	SCALE 1"=50'			RECEIVED BY Smattlla Count, Date 2-03 Rec'd By KK No. 03-6/-	Day R. Nobest	Note: Monuments Set April, 2003 Umatilla County Road Department 3920 Westgate Pendleton, Oregon 9780 Phone 54 /278-5424 Survey for the Legalization of Grabner Public Road No. 3008 Located in Section 19 Township 6 North, Range 35 E.W.M.

Oregon State Plane Coordinates NAD '83('91) North Zone 3601 (International Feet)			Traverse Line D						
	Point Northing	Easting							
	GR-4 851, 237.77	8, 713, 945.94	From Point	To Point	Bearing	Distance			
	GR-5 850, 423.02	8, 713, 939.17	GR-3	GR-4	S06 °27 ' 41 "E	304.45'			
			GR-4	GR-5	S01 *54 15 W	814.81			
			GR-5 GR-6	GR-6 GR-7	S00 *55 36 "E S00 *43 02 "E	804.96' 472.56'			
			Gn-O						
tax Lot 200 Harold and delores mogowen					TAX LOT 1	0 0			
					TAX LOT 16 PATRICIA	PORTER LEE			
FENCE CORNER 4 INSIDE R/W	North-So and Proj	outh Centerline Section 19 posed Centerline Grapner Lane							
	GR-4 Station 27+15.64 14.51' Lt.								
x = x = x = x = x = x = x = x = x = x =	Landscape Timber				S	00 °30 ' 27 "E			X X X X X X X X X X X X X X X X X X X
	Landscape Timber			1)	——————————————————————————————————————	X _ X X -			4
FENCE CORNER 3' OUTSIDE R	/W)	l.					X GR-5 Station 35+29.73 19.77 Rt.		SHE
SH H									· SEE
SEE									U U U U U U U U U U U U U U U U U U U
u ₩			TAX LOT 1400 KEVIN TEEMA	O N					[등
] ;									MAT
MA TO									
				1					
TAX LOT 600 RHEA GRAY			LEGENI 						tax lot 1300 Kelven and Beverly Seibold
RHEA GRAY		i i	8" X 30" iron rebar with yell						
		✓ Found : as Nort	1" O.D. iron pipe 8" below ro th 1/4 Corner Section 19	ad surface I ac	cepted in Survey	No. 03-59-B			
			railroad spike stamped "LS262 n 19, Survey No. 03-59-B	?7" with punch m	nark I set as Sout	h 1/4 Corner		_	Note: Monuments Set April, 2003
	TAX LOT 1500 Warren and Tammy Tokas	· ·	5/8" iron rebar with yellow puthwest reference to the Nort	olastic cap mark th 1/4 Corner Se	ked "UCPWDLS267 ection 19, Survey	7" 1 set as No. 03-59-B			Umatilla County Road Department 3920 Westgate
		■ PP&L p							3920 Westgate Pendleton, Oregon 97801 Phone 541/278-5424
			y wire and anchor one pedestal					S	urvey for the Legalization of Grabner Lane
			Edge of traveled road	ı					Public Road No. 3008
			— ——— Proposed right-of-way				00415 4# 501	REGISTERED PROFESSIONAL LAND SURVEYOR	Located in Section 19 Township 6 North, Range 35 E.W.M.
		——×——	——×—— Fence				SCALE 1"=50'	Vay R. Nobert	
			Culvert pipe or water line o	crossing			0 50 RECEIVEDOBY Finatilla County Survey	OREGON OREGON JULY 20, 1993 GARY R. ROBERTS 2627 RENEWS 12/31/2004	Date of Survey: February, 2003
		⊗ Calcula	ated point only - nothing for	und or set			Date 2-03 Bec'd By KK	262/ RENEWS 12/31/2004	Sheet 3 of 4
							Bec'd By KK No. 03-61-C		

