# SEVEN HILLS ROAD AND LOWER DRY CREEK ROAD LEGALIZATION COUNTY ROADS #668 AND 647

ROAD OFFICIAL'S REPORT

# UMATILLA COUNTY DEPARTMENT OF PUBLIC WORKS

**MARCH**, 2003

### **TABLE OF CONTENTS**

#### **DESCRIPTION**

#### PAGE NO.

REPORT	1,2
VICINITY MAP	3
TOPOGRAPHY MAP	4
ORIGINAL NOTES	5,6
ORIGINAL PLAT	7-10
ROAD SURVEY	11-14
PHOTOGRAPHS	A,B,C,D,E,F

# SEVEN HILLS ROAD AND LOWER DRY CREEK ROAD LEGALIZATION REPORT

#### HISTORY

Seven Hills Road and the portion of Lower Dry Creek Road that is the subject of this legalization were originally established as Road No. 773 in 1915 (see attached field notes and plat). The road was established from a point in what is now County Road No. 697 (Harris Road), ran easterly for approximately 2 3/4 miles to Barrett Warehouse (Lower Dry Creek Road) and then ran northeasterly for approximately ½ mile to a point in what is now County Road No. 517 (County Road). The road physically existed prior to 1915 as evidenced on the original road plat and calls to the road in 1914 deeds that established old Road No. 760, also known as the Henry Barrett Road. The Henry Barrett Road is described as lying adjacent to and westerly from the existing traveled road north of the township line and paralleling the railroad right-of-way. None of Henry Barrett Road No. 760 or Road No. 773 was ever vacated, leaving a total road width of 90 feet (40 feet within road No. 773 and 50 feet in road 760) in the area.

#### GENERAL

Right-of-way width for the roads in this survey was held at 40 feet as per original records except for a portion near the Barrett elevators north of the township line. In this area width on the left (west) side was held at 20 feet and the right side was held coincident with the railroad right-of-way on the east side in order to prevent an ownership gap, resulting in a variable width of approximately 25 to 28 feet. The right side narrows back to 20 feet at the northerly end of where the Henry Barrett Road ended. Road location as shown on this survey was based almost entirely on where the traveled surface is due to the narrow right-of-way width.

Due to road maintenance and farming operations over the years, the locations of these roads do not match original road records and therefore the need for the legalization. New power facilities are planned for the area and the exact location of the right-of-way needs to be determined. The road survey was performed by Steve Haddock of Witness Tree Surveying for Eurus Energy America, Inc. and in consultation with the Public Works Department.

#### IMPACTS TO UTILITIES AND PROPERTY OWNERS

There are several electric facilities in the area. Bonneville Power has a transmission line along Seven Hills Road and has their own private easement. Pacific Power and Light and the City of Milton-Freewater also have power poles along the road. The City's poles either fall within the road right-of-way or are on property owned by them. While the majority of PP&L's poles fall within the right-of-way, some lie outside of it slightly, as do some telephone pedestals. Because of the narrow right-of-way width, it is not possible to shift the alignment to include all of the utilities, while still

maintaining adequate room for the road. Should the location of these facilities ever become an issue with area landowners, legalizing the roads based on this survey would provide a means of marking the exact right-of-way location so the utilities could be moved.

No encroachments from abutting landowners exist and no impacts to them as a result of legalizing the roads are anticipated.

#### **STATUTES**

ORS 368.201(3) provides a basis for the county governing body to initiate legalization proceedings if a road as traveled and used for 10 years or more does not conform to the location of a road described in county road records.

#### **RECOMMENDATION**

The Public Works Department recommends that the road be legalized as shown on the attached survey map and as described in the final order.





----NOTEB OF SURVEY OF ROAD NO.773 -----

Surveyed May 20 1915.

To the Honorable County Court. }

Umatilla County Oregon.

I submit the following as the notes of the Survey of Road No. 773.

Began at a point in the center of Road No. 535 which point is approximately the S.W.cor. of the S.E.tof S.W.t Sec.36 T.6N.;R.34 E.W.M. Set post 4"x4"x4' 20 ft. west, dug pits and raised mound around stake. Ran thence,

N.89°-0'E. --- I044.0 ft.from point of beginning. thence N.87°-55'E. --- 3936.0 ft. " " " to a stone mon. at cor. of townships,6N.34 E.W.M.

- 5N.34 "
- 6N.35 "
- 5N.35 "

-1

5

thence East ----- 5069.0 ft.from point of beginning.

" N.88<sup>°</sup>-30'E. --- 5280.0 " " " " set mile

post -I- a stake 4"x4"x4" 20 ft.north

dug pits and raised mound.

" N.88°-30'E. ---- 6576.0 ft.from point of beginning.

" N.87<sup>°</sup>-53:E. -----9254.0 " " " " to a stone mon. the s.e.cor. Sec. 3I T.6N.;R35 E.W.M.

" N.88°-I5'E. ----9784.0 Ft. from point of beginning .

" N.38°9)E. ----I0560.0 " " " " set mile pOst.

-2- 20 ft. north, a stake 4"x4"x4'.

dug pits and raised mound.

- " N.88<sup>0</sup>-0'E. --- II770.0 ft.from point of beginning ,center of Dry Creek -30-ft. wide.
  - Ilgono ft. from point of beginning to stone cor common to Sees 32 T.6 N.:R.35E.W.M and Sec. 5 T.5 N.;R.35 E.W.M.

Thence: N.720-03' E.---- I24I4.0 ft. from point of beginning. S.72°-07' E.---- I2886.0 " 11 N.88°-0'E. -- -- I3467.0 " n N.88<sup>0</sup>-14'E.---- 14605.0 " " " " to stone cor. SeE.cor. Sec. 32 T.6 N.:R 35 E.W.M. N.85°-I4'E.---- I4896.0 ft. from point of beginning a point 11 30 ft. west of Barrett warehouse. " N.31°-IS'E, ---- I5421.0 ft .from point of beginning. " N.28<sup>0</sup>-14'E. ----- 15840.0 " " " 11 set mile post -3- a 4"x4"x4! 20 ft. left . Dug pits and raised mound. " N.28°-14'E. ----- I6147.0 ft. from point of beginning. N.\_61°-0'E. ----- 16585.0 " " " N.2°- I3'W. ---- I6655.0 " 2 to a point IO ft. East of I/I6 cor stone . N.2<sup>0</sup>-13'E. ---- 17984.0 from point of beginning to point of ending being the I/I6 cor stone at NE.cor. of NE.t of SW.t Sec. 33 T.6 N. :R. 35 E.W.M.

I hereby certify that the above is a true copy of the notes taken in the above entitled Road survey.

County Surveyor.

May 26 1915.









# SURVEY FOR THE LEGALIZATIL, OF COUNTY ROAD 773

#### NARRATIVE OF SURVEY

1

NARRATIVE OF SURVEY This survey was performed at the request of Mr. Bill Alexander of Bill Alexander Forestry in Pendleton, Oregon, on behalf of EURUS ENERGY AMERICA CO.. The purpose of the survey was to provide a survey for use by Umatilla County in the legalization process for County Road 773. The control network for this survey was established in accordance with the requirements in ORS 209.155 (2) (b). The network was tied to the existing section corner monumentation as shown. The proposed right of way location was determined by measurements of the existing road surface. I calculated an average location of the existing structures centerline and held the proposed centerline within 1.5 feet of that line. The proposed right of way does not alter any of the existing access situations along this route. This map was prepared for legalization only. There is no proposed construction. Because of this I did not locate any of the east half of the line between sections 5 and 32.

Note: The Boneville Power Administration power line along the south side of this roadway has a 50' right of way width. The BPA right of way overlaps into the County Road Right of Way but does not cross over to the north side of the township line.

BASIS OF BEARINGS Bearings shown are grid bearings based on GPS ties to Tri Stations Bade and Geer. Distances shown are grid distances. Horizontal Datum: NAD 83 (1991)

. 35 36 - T6N 2 1 - T5N

					the monuments distances and NAD 83-91. Not decimal place	network shown fforts were ma within the pro coordinates ar e: The coordir in order to ra	here was esta de to insure posed county e State Plane dates shown be iculate the b	blished with a intervisibilit road right of Grid, Oregon low are given	Lieca System y and to keep way. Bearings, North zone, to the fourth
		SURVEY L	EGEND		on chis map an	a are not inte	nded to repre	sent a stateme	stances snown nt of precision.
E OF SURVEY					Control point SW S36	Bearing N88 *22 * 25 * E	Distance 1334.03ft	Northing 837716.2843	Easting 8706360.7516
the request of Mr. Bill Alexander of Bill , Oregon. on behalf of EURUS ENERGY	•	CORNER MONUMENT ON SECTION LINES	—Е—	OVERHEAD POWER LINES	POB	N87 *29 '05 "E	1100.10ft	837754.1455	8707694.2484
survey was to provide a survey for use ization process for County Road 773 The	Ø	POWER POLE	x	FENCE LINES EDGE OF PAVING OR GRAVEL	CP1 CP2	N88 19151 E	2176.34ft		8708793.2901
was established in accordance with the (b). The network was tied to the	×	COMPUTED POINT		PROPOSED ROAD RIGHT OF WAY	NW S6	N89 *59 ' 01 "E	640.73ft		8710968.7044
tation as shown. The proposed right of measurements of the existing road surface. n of the existing structures centerline	Ξ	TELEPHONE PEDESTAL	t	ROAD CENTERLINE	CP3	\$89 *08 ' 38 *E	802.51ft		8711609.4366 8712411.8562
alter any of the existing access	+0+	BURIED NORTHWEST BELL CABLE	·	RAILROAD RIGHT OF WAY	CP4	N89*10'03"E	1100.22ft		8713511.9552
alization only. There is no promosed	0	R/W CENTERLINE ANGLE POINT	••••	DRIVEWAY / FIELD ACCESS OR POWER LINE CONTINUES	CP5	N88 "35 22 "E	732.13ft 1101.00ft		8714243.8644
did not locate any of the existing long the roadway along the east half of	•	SET 5/8" x 24" GREEN COATED IRON REBAR W/	DRV / FA	ORIVEWAY / FIELD ACCESS	CP6	N88 *25' 17*E	850.09ft	837913,9500	8715425.3766
inistration power line along the south	•	COATED IRON REBAR W/ AN DRANGE PLASTIC CAP STAMPED WTS & 56295LS	AP1	ANGLE POINT IN ROAD ALIGNMENT	CP7 NE S6	N87 *04 ' 00 " E	661.18ft		8716275.1419
right of way width. The OPA right of way light of Way but does not cross over to the		SET 1" x 24" IRON REBAR WITH A 2" ALUMINUM CAP STAMPED ROAD 773 AND	CP1	MONUMENTED POINT ON SURVEY CONTROL NET	CP8	S89 *21 ' 14 "E	659.75ft		8716935.4579
		STAMPED ROAD 773 AND 56295LS			CP9	N88 *55 ' 29 " E	1034.59ft		8717595.1627 8718629.5716
		בומעבע מכ			N1/4 S5	N87 "39" 19"E	961.33ft		8719590.0983
			FEHEIVLES RACT #110 BRUARY 7, 1865		CP10	N89*35*41"E N87*57'29"E	1521.74ft 1133.89ft	838033.2648	8721111.7972
		BY QUELL	& LEWIS		NE SS	\$82 *16 22 E	209.81ft	838073.6645	8722244.9661
			URVEY Q-837-A URVEY I-89-Ax		CP11 CP12	N31*10'53"E	725.67ft		8722452.8726
		R4 COUNTY S R5 BPA MILE	URVEY 00-161-C NAPS		CP12 CP13	N39 *22 ' 47 * E	1084.08ft		8722028.5874 8723516.3861
		9610 THR		891315	EOP	N00 *44 * 05 * W	1274.74ft		8723500.0384
		R81352,	REGILIE & REGIL	4.	W1/4 S33	588 *36 ' 20 ° W	1332.83ft		8722167.6072
5 OF BEARINGS shown are grid bearings GPS ties to Tri Stations Geer. Distances shown distances. al Datum: NAD 83 (1991)			AND HENRY BAR SURVEY FOR UM Y TOMKINS, 200:		29 28	1/-	1	28   2 33   3	
				-N-		1   			
COUNTY ROAD NUMBERS The County Road numbers used on this map are the old numbers from when the roads were established. The crossover to the new numbers and names on the County's maps are given below.					EC EC	EET 3	 	 	
OLO NEW NAME			то	VICINITY MAP					1/4
773 658 SEVEN HILLS 773 647 LOWER DRY CREEK 영남 C-1 517 COUNTY 영남 방문 문남 문남 문남 문			, 70 ; F	WNSHIP 6 NORTH BANGE 35 EAST	CP13	EET 3 PANEL 6			
Ĩ, ĉ			t t		CP12	\$ 1		1	
	— <u> </u>	CP5 CP6: CP7 31	32 CP8	CP9 1/4 CP10	Rd 32 33	1	1/4	3313	4 T6N
36 T6N P.O.8 868 CP1 CP1 CP2 36 31 CP3	CP4 PANEL 2	PANEL 3	5	PANEL 4	5 4 CP11			4	
1 T5N PANEL 1 ]} SHEET 1 SHEET 1	FAREL 2 T	SHEET 1	-7 	SHEET 2	EET 2 1			 	
			L I					1	
			F F		l I			1	
								L F	
			1 					1   	
1				REGISTERED			1000 1 4 000 1		
						Si	JRVEY F	OR	PROJECT DA
				PRELIMINARY		EURUS EN	ERGY AMER	RICA, INC	PROJECT No.: 02
				UPEGON JULY 9. 2001 STEPHEN K, HADDOCK 562991 S		402 W. BF	IOADWAY, S IIEGO, CA	SUITTË 1750	WITNESS
				RENEWS 5-30-03	-		·		Stephen
						T6N, R	34E, 536 & T6N	I. R35E,	Bilot D















SHEET 2 OF 3



i i



16N,	F.	34E,	536 UM	Ş,	T6N.	R35É, COUNTY,	OF
552	•	333,	0744			00000111,	0,

# SEVEN HILLS ROAD - LOOKING EAST









### SEVEN HILLS ROAD – LOOKING EAST









# SEVEN HILLS ROAD - LOOKING EAST









## SEVEN HILLS ROAD - LOOKING EAST







# LOWER DRY CREEK ROAD - LOOKING NORTH









### LOWER DRY CREEK ROAD – LOOKING NORTH



L