IN THE COUNTY COURT OF THE STATE OF OREGON IN AND FOR THE COUNTY OF UMATILIA

In the MATTER of ACCEPTING Indian Service Roads; )
under takeover agreement between Unatilla County )
REPORT OF COUNTY ROADMASTER
Court and Bureau of Indian Affairs Personnel. )

Pursuant to the resolution by the above entitled Court the day of March, 1969 the under signed, as County Roadmaster, examined the resolution adopted by the above entitled Court, as aforesaid.

The under signed has examined the roads mentioned in the resolution hereinabove mentioned, and found that the Bureau of Indian Affairs has reconstructed the herein listed Indian Service Roads according to the specifications as set forth in the executed agreement. further,

It is my opinion that the said roads will be usefull to the community will improve the networks of the general road system of Umatilla County. The said Indian Service Roads has been open for public travel, all with minimum required right-of-way width of 50 feet and it would be advisable to preserve the same for the Umatilla County Road Department road system in the future, and that the public will be benefited by it's adoption. therefore,

I conclude, and RECORMEND that the said Indian Service Roads hereinafter listed and more particularly described in seperate sheet attached heroto and by this reference made a part hereof, as aforesaid the County Court to pursue enactment to legalize the said roads into County Road system.

ATTESTED:

Done and Dated this

1969

Umatilla County Clerk .

Imptilla County Basemast

n5/

- WHEREAS, The BIA has reconstructed the following Indian Service Roads according to the specifications as set forth in the said agreement is listed as follows:
- P-1 Beg. Tirex.@/4 cor.bet.Sec.s 28 & 29,TlN.,R33E,W.M.Oregon,to wit:THENCE South-easterly along the existing road over and across the following:Sections 28,29 and 33,all in TlN,R33E,W.M.,Sec.s 4 & 5,TlS.,R33E,W.M.,to the Jct./I.S.R.,P-12 in Sec.b,TlS.,R33E,W.M.,approx. 3 miles.

  The above desc.hercin reffered to: was certified Feb.16,1962;R/W 60 ft.in width. Known as SUMAC Canyon ROAD
- P-1 Beg.@/terminus of the above described P-1,@ sd.Jct./P-12 in Sec.4,TlS,R33E,W.M., Oregon,to wit: THENCE easterly along existing road over and across the following: Sec.s respectively 4,3,2 & 1,approx.to the SE.cor.of the sd.Sec.1,TlS,R33E,W.M. The above desc.berein ref.to:was certified Nov.1,1965; R/W 60 ft.in width,3.5 mi.± Known as Mc.KAY CREEK ROAD.
- P-3

  Beg.approx.@/\frac{1}{4}cor.bet.Sec.s 28 & 29,TlN.,R33E,W.M.Oregon,to wit:THENCE North 5 miles \(\frac{1}{4}\) to the NW.cor.of Section 4,TlN.,R33E,W.M.

  The above desc.herein ref.to: was certified Apr.5,1956; R/W 60 ft. in width. Known as SPRINGHOLLOW ROAD.
- P-3

  Beg.@/NW.cor.of Sec.4,TlN.,R33E,W.M.,Oregon,to wit:THENCE North 1 mile #;THENCE Wost 0.2 mile #;THENCE North 1 mile # to the NW.cor. of the NE# NE# of Sec. 29, T2N.,R33E,W.M.

  The above desc.herein ref.to: was certified Apr.4,1956; R/W 50 ft.in width. Known as UMBARGER ROAD.
- P-4 Beg.@/NW.cor.of Sec.30,T3N.,R35E,W.M.,Oregon,to wit: THENCE East 2.3 miles ±, approx.to the NE.cor.of the NW4 NW4, Sec.28,T3N.,R35E,W.M.

  The above desc.herein ref.to:was certified Feb.8.1963; R/W 50 ft.in width.

  Known as CURL-KANINE ROAD.
- P-5

  Beg.approx.@/NE.cor.of Sec.30,T2N.,R33E,W.M.,Oregon,to wit:THENCE South 0.2 miles.

  The above desc.herein ref.to: was certified May 15,1967; R/w 50 ft.in width.

  Known as PRESBYTERIAN CHURCH ROAD,SOUTH-(Patawa Place)
- P-6

  Beg.@/Pt.which bears N89°02'E. 897.45 ft.from the NW cor.of NE4 NN4 of Sec.14, T2N.,R33E,W.M.,Oregon,to wit: THENCE S89°53'E. 1724.45 ft.; THENCE N89°56'E. 1307.55 ft.± to the NE.cor.of the sd.Sec.14,T2N.,R33E,W.M.

  The above desc.herein ref.to: was certified July 11,1955;R/W 50 ft.in width. Known as SHEOSHIPS ROAD.
- R-7

  Beg.@/SW.cor.of Sec.16,TlN.,R33E,W.M.,Oregon,to wit: THENCE East 1 mile ±;

  THENCE north 1 mile ± to the NE.cor of sd. Sec.16.TlN.,R33E,W,M.

  The desc.above herein ref.to: was certified May 15,1967; R/W 50 ft.in width.

  Known as BEST ROAD.
- P-9
  Beg.approx., 0.3 mi.north of E. dor.of Sec.7, T2N., R34E, W.M., Oregon, to wit:
  THENCE South 0.3 mi.t; THENCE West 0.25 mi.t; THENCE South 1.5 mile t to a point
  0.25 mi.t from the SE.cor.of Sec.18, T2N., R34E, W.M.
  The above desc.herein ref.to: was certified May 15,1967; R/W 50 ft.in width 2.1 mi.d
  Known as CAYUSE RIVER ROAD Abraham Road.
- P-12 Beg.approx.@/SW.cor.of Sec.6,TlS.,R33E,W.M.,Oregon,to wit: THENCE North O.4 mile #;
  THENCE Easterly 3.1 miles ± along the existing road over and across the following:
  Sections 6 & 5 to the terminus point of I.S.R.(P-1) near W.½ cor.Sec.4,TlS.,R33E,
  W.M. The above desc.herein ref.to:was certified Aug.16,1962; R/W 50 ft.in width,
  and 3.5 miles ± in length. Known as Mc.KAY CREEK ROAD.
- P-16 Beg.@/SW.cor.of Sec.32,T3N.,R34E,W.M.,Oregon,to wit:THENCE East 2 miles ± along the township line to the SE.cor.of Sec.33,T3N.,R34E,W.M.

  The above desc.herein ref.to:was certified Feb.11,1963;R/w 50 ft.in width.

  Known as North Mission Cayuse-(Mann) Road.
- P-16 Eag.@/NW.cor.of SW4 SW2 of Sec.1,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 1 mile ± to the sd.range line; THENCE North 1.7 mile ± to the NE.cor.of the sd.Sec.1; THENCE East 1 mile ± to the NE.cor.of Sec.6,T2N.,R34E,W.M.

  The above desc.herein ref.to: was certified Nov.1,1965; R/W 50 ft.in width.3.7 mi.±. in length. Known as North Mission Cayuse-(Kirkpatrick) Road.
- P-17 Bog.@/SE.cor.of Sec.8,T2N.,R3LE,W.M.,Oregon,to wit:THENCE North 1 milet to near NE.cor./sd.Sec.8;THENCE East 1 milet along the existing road to Jct./Co.Rd.#751 near NE.cor.of Sec.9,T2N.,R3LE,W.M.

  The above desc.herein ref.to: was certified May 15,1967; F/W 50 ft.in width,2.Cmi.t Known as CAYULE RIVER ROAD- (George Road).

Contuid: B.I.A. Reconstruction of Indian Service Roads:

- S-18 Beg.(near)@/E.1 cor.of Sec.18,T2N.,R33E,W.M.,Oregon,to wit:THENCE North O.4 mi.t to the south P/w line of O.S.H.D.

  The above desc.herein raf.to:was certified May 15,1967;R/w 60 ft.in width.

  Known as BARNHART ROAD-(South/Theater Road).
- P-19 Peg.@/Nulcor.of Sec.26,T3N.,R3hE,W.M.,Oregon,to wit:THENCE South 2 mi.± to the SE.cor.(approx.) the Sec.3h;THENCE Southwesterly 1 mile ± along the existing rdwy., to Jct./Co.Rd.No.75l approx. ½ mile northeast of Cayuse in Sec.3,T2N.,R3hE,W.M. The above desc.herein ref.to:was certified Nov.1,1965;R/w 50 ft.wide; 2.9 mi.long. Known as TUBBS CAYUSE ROAD.
- P-20 Beg.@/SW.cor.Sec.19.T2N.,R33E,W.M.,Oregon,to wit:THENCE East 1.75 mi. to the N 1/16 th.cor.of NEt of Sec.29,T2N.,R33E,W.M.,also east unit of said
- P-20
  Beg.@/W.1/16 th.cor.of SEt of Sec.24, T2N., R33E, W.M., Oregon, to wit: THENCE East 0.5 mi. to the east line of sd.Sec.24; THENCE North 2.75 mi. talong the existing rdwy.to Co.Rd.No.748 near NE.cor.Sec.13, T2N., R33E, W.M.

  The above desc.s herein ref.to: was certified May 15,1967; R/w.50 ft.wide; 4.5 mi. talong the East New as TUTUILLA CHURCH-ST.ANDREW'S SCHOOL ROAD, respectively.
- P-22 Beg.@/SW.cor.of Sec.30,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 3 miles ± (less 0.3 mi./3-3) to the SE.cor.of Sec.28,T2N.,R33E,W.M.

  The above desc.herein ref.to:was certified May 15,1967;R/w 60 ft.(\*)wide;2.7 mi.±.
- P-24 Beg.@/SW.cor.of Sec.31,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 2 miles ± along & bet.TIN.& T2N.,to the SE.cor.of Sec.32,T2N.,R33E,W.M.

  The above desc.herein ref.to:was certified Apr.5,1956;R/w 60 ft.wide; 2 mi. ±.

  Known as HANNA ROAD.
- P-24 Beg.@/SW.cor.of Sec.33,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 1 mile to the SE.cor.of sd.Sec.33,T2N.,R33E,W.M.

  The above desc.herein ref.to:was certified May 15,1967;R/w 60 ft.wide; 1 mi.t Known as BEST ROAD.
- P-28 Deg.@/SW.cor.of Sec.7,TlN.,R33E,W.M.,Oregon,to wit:THENCE East 2 miles ± to the SE.cor.of Sec.8,TlN.,R33E,W.M.

  The above desc.herein ref.to:was certified May 15,1967;R/w 60 ft. wide\*; 2mi.± Known as CRAWFORD ROAD.
- P-30 Beg.@/NW.cor.of Sec.36, T3N., R33E, W.M., Oregon, to wit: THENCE East 5 miles ± to the NE.cor.of Sec.34, T3N., R34E, W.M.

  The above desc.herein ref.to: was certified Feb.8, 1963; R/w 50 ft. wide.

  Known as Hall-Toyslap- MALONEY ROAD.
- P-30 Beg.@/SW.cor.of Sec.26,T3N.,R34E,W.M.,Oregon,to wit:THENCE East 4 miles ± to the SE.cor.(approx.),Scc.28,T3N.,R35E,W.M.;THENCE Northeast 0.6 mi.± to the Thorn-hollow Grade Co.Rd.No.865 in the sd.Sec.28,T3N.,R35E,W.M.

  The above desc.herein ref.to:was certified Nov.1,1965;R/w 50 ft.wide;3.9 mi. ±.

  Known as HALL (Toyslap) ROAD.

The Indian Service Roads herein listed contains in TOTAL length 54.1 miles of which PAVED length is 33.1 miles and GRAVELED length is 21.0 miles.

I, E.F.Palmor, Roadmaster, in and for the Umatilla County, State of Oregon, submit this REPORT, pursuant to instituted proceedings for adoption for the hereinabove list and descriptions of Indian Service Roads.

ATTESTED:	Done and Dated this day of,1969
Umatilla County Clark	Umatilla County Roadmaster

3

CNDEXED VAGET R 78 PAGE 241

I, J. Dean Fouquette, Sr., County Clerk, certify that this instrument was received and COUNTY OF UMATILLA, STATE OF OREGON, recorded

ON MAR. 26, 1981

of said County in at 11.50 o'clock A. in the record of-

J. DEAN FOUQUETTE, SR.

NOTICE

UMATILLA INDIAN RESERVATION, PENDLETON, OREGON OF LEGALIZATION OF INDIAN SERVICE ROADS A

ALL FERSONS \* INTERESTED IN \* OR CONCENNED

WITH 1AE RIGHT-OF-WAYS OF INDIAN SERVICE ROADS

ARE HEREBY NOTIFIED:

HIGHMAYS; any objections thereto, or claims for demages, must be filled in the OFFICE of the COUNTY CLERK of this County on or before 28 day of Manch, 1969; The said roads is more particularly described herein or/attached hereto, will be declared COUNTY ROADS and PUBLIC HIGHWAYS. completed; The Umatilla County Court, at it's next term, WILL HEAR and determine whether the said Indian Service roads right-of-ways are In consideration of the construction, plans and descriptions has been satisfactory and shall be ORDFRED as IAWFUL COUNTY ROADS and PUBLIC.

(Description).

COUR COUNTY UMATILLA

Posting affidavid filed: