73565

IN THE COUNTY COURT OF THE STATE OF OREGON IN AND FOR THE COUNTY OF UMATILIA

In the MATTER of ACCEPTING Indian Service Roads;)
under takeover agreement between Unatilla County)
REPORT OF COUNTY ROADMASTER
Court and Bureau of Indian Affairs Personnel.)

Pursuant to the resolution by the above entitled Court the day of Muscle, 1969 the under signed, as County Roadmaster, examined the resolution adopted by the above entitled Court, as aforesaid.

The under signed has examined the roads mentioned in the resolution hereinabove mentioned, and found that the Bureau of Indian Affairs has reconstructed the herein listed Indian Service Roads according to the specifications as set forth in the executed agreement, further,

It is my opinion that the said roads will be usefull to the community will improve the networks of the general road system of Umatilla County. The said Indian Service Roads had been open for public travel, all with minimum required right-of-way width of 50 feet and it would be advisable to preserve the same for the Umatilla County Road Department road system in the future, and that the public will be benefited by it's adoption. therefore,

I conclude, and RECOMMEND that the said Indian Service Roads hereinafter listed and more particularly described in seperate sheet attached heroto and by this reference made a part hereof, as aforesaid the County Court to pursue enactment to legalize the said roads into County Road system.

> P-17 798

- WHEREAS, The BIA has reconstructed the following Indian Service Roads according to the specifications as set forth in the said agreement is listed as follows:
- P-1 Beg. TFrex.@/4 cor.bet.Sec.s 28 & 29,TlN.,R33E,W.M.Oregon,to wit:THENCE South-easterly along the existing road over and across the following:Sections 28,29 and 33,all in TlN,R33E,W.M.,Sec.s 4 & 5,TlS.,R33E,W.M.,to the Jct./I.S.R.,P-12 in Sec.4,TlS.,R33E,W.M.,approx. 3 miles.

 The above desc.herein reffered to: was certified Feb.16,1962;R/W 60 ft.in width. Known as SUMAC Canyon ROAD
- P-1 Beg.@/terminus of the above described P-1,@ sd.Jct./P-12 in Sec.4,T1S,R33E,W.M., Oregon,to wit: THENCE easterly along existing road over and across the following: Sec.s respectively 4,3,2 & 1,approx.to the SE.cor.of the sd.Sec.1,T1S,R33E,W.M. The above desc.herein ref.to:was certified Nov.1,1965; R/W 60 ft.in width,3.5 mi.± Known as Mc.KAY CREEK ROAD.
- P-3

 Beg.approx.@/\frac{1}{4}cor.bet.Sec.s 28 & 29,TlN.,R33E,W.M.Oregon,to wit:THENCE North 5 miles \(\frac{1}{2}\) to the NN.cor.of Section 4,TlN.,R33E,W.M.

 The above desc.herein ref.to: was certified Apr.5,1956; R/W 60%ft. in width. Known as SPRINGHOLLOW ROAD.
- P-3

 Beg.@/NW.cor.of Sec.4,TlN.,R33E,W.M.,Oregon,to wit:THENCE North 1 mile #;THENCE Wost 0.2 mile #;THENCE North 1 mile # to the NW.cor. of the NE# NE# of Sec. 29, T2N.,R33E,W.M.

 The above desc.herein ref.to: was certified Apr.4,1956; R/W 50 ft.in width. Known as UMBARGER ROAD.
- P-4 Beg.@/NW.cor.of Sec.30,T3N.,R35E,W.M.,Oregon,to wit: THENCE East 2.3 miles ±, approx.to the NE.cor.of the NW4 NW4, Sec.28,T3N.,R35E,W.M.

 The above desc.herein ref.to:was certified Feb.8.1963; R/W 50 ft.in width.

 Known as CURL-KANINE ROAD.
- P-5 Reg.approx.@/NE.cor.of Sec.30,T2N.,R33E,W.M.,Oregon,to wit:THENCE South 0.2 miles. The above desc.herein ref.to: was certified May 15,1967; R/w 50 ft.in width. Known as PRESBYTERIAN CHURCH ROAD,SOUTH-(Patawa Place)
- P-6

 Beg.@/Pt.which bears N89°02'E. 897.45 ft.from the NW cor.of NE4 NN4 of Sec.14, T2N.,R33E,W.M.,Oregon,to wit: THENCE S89°53'E. 1724.45 ft.; THENCE N89°56'E. 1307.55 ft.± to the NE.cor.of the sd.Sec.14,T2N.,R33E,W.M.

 The above desc.herein ref.to: was certified July 11,1955;R/W 50 ft.in width. Known as SHEOSHIPS ROAD.
- P-7

 Beg.@/SW.cor.of Sec.16,TlN.,R33E,W.M.,Oregon,to wit: THENCE East 1 mile ±;

 THENCE north 1 mile ± to the NE.cor of sd. Sec.16.TlN.,R33E,W,M.

 The desc.above herein ref.to: was certified May 15,1967; R/W 50 ft.in width.

 Known as BEST ROAD.
- P-9
 Beg.approx., 0.3 mi.north of E. decr. of Sec. 7, T2N., R3LE, W.M., Oregon, to wit:
 THENCE South 0.3 mi.t; THENCE West 0.25 mi.t; THENCE South 1.5 mile to a point
 0.25 mi.t from the SE.cor. of Sec. 18, T2N., R3LE, W.M.
 The above desc. berein ref. to: was certified May 15, 1967; R/W 50 ft. in width 2.1 mi.s.
 Known as CAYUSE RIVER ROAD Abraham Road.
- P-12 Beg.approx.@/SW.cor.of Sec.6,TlS.,R33E,W.M.,Oregon,to wit: THENCE North O.4 mile t; THENCE Easterly 3.1 miles t along the existing road over and across the following: Sections 6 & 5 to the terminus point of I.S.R.(P-1) near W.1 cor.Sec.4,TlS.,R33E, W.M. The above desc.herein ref.to:was certified Aug.16,1962; R/W 50 ft.in width, and 3.5 miles t in length. Known as Mc.KAY CREEK ROAD.
- P-16
 Beg.@/SW.cor.of Sec.32,T3N.,R34E,W.M.,Oregon,to wit:THENCE East 2 miles ± along the township line to the SE.cor.of Sec.33,T3N.,R34E,W.M.
 The above desc.herein ref.to:was certified Feb.11,1963;R/w 50 ft.in width.
 Known as North Mission Cayuse-(Mann) Road.
- P-16 Eag.@/NW.cor.of SW4 SW2 of Sec.1,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 1 mile ± to the sd.range line;THENCE North 1.7 mile ± to the NE.cor.of the sd.Sec.1;THENCE East 1 mile ± to the NE.cor.of Sec.6,T2N.,R34E,W.M.

 The above desc.herein ref.to: was certified Nov.1,1965;R/W 50 ft.in width.3.7 mi.±. in length. Known as North Mission Cayuse-(Kirkpatrick) Road.
- P-17 Bog.@/SE.cor.of Sec.8,T2N.,R3LE,W.M.,Oregon,to wit:THENGE North 1 milet to near NE.cor./sd.Spc.8;THENGE East 1 mile t along the existing road to Jct./Co.Rd.#751 near NE.cor.of Soc.9,T2N.,R3LE,W.M.

 The above desc.herein ref.to: was certified May 15,1967; F/W 50 ft.in width,2.Cmi.t Known as CAYUDE RIVER ROAD- (George Road).

Contu'd: B.I.A. Reconstruction of Indian Service Roads:

- S-18 Beg.(near)@/E.1 cor.of Sec.18,T2N.,R33E,W.M.,Oregon,to wit:THENCE North O.4 mi.t to the south r/w line of O.S.H.D.

 The above desc.herein raf.to:was certified May 15,1967;R/w 60 ft.in width.

 Known as BARNHART ROAD-(South/Theater Road).
- P-19 Deg.@/NV.cor.of Sec.26,T3N.,R3hE,W.M.,Oregon,to wit:THENCE South 2 mi.± to the SE.cor.(approx.) the Sec.3h;THENCE Southwesterly 1 mile ± along the existing rdwy. to Jct./Co.Rd.No.751 approx. ½ mile northeast of Cayuse in Sec.3,T2N.,R3hE,W.M. The above desc.herein ref.to:was certified Nov.1,1965;R/w 50 ft.wide; 2.9 mi.long. Known as TUBBS CAYUSE ROAD.
- P-20 Beg.@/SW.cor.Sec.19,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 1.75 mi. to the N 1/16 th.cor.of NE4 of Sec.29,T2N.,R33E,W.M.,also east unit of said
- P-20
 Beg.@/W.1/16 th.cor.of SEt of Sec.24, T2N., R33E, W.M., Oregon, to wit: THENCE East 0.5 mi.t to the east line of sd.Sec.24; THENCE North 2.75 mi.t along the existing rdwy.to Co.Rd.No.748 near NE.cor.Sec.13, T2N., R33E, W.M.

 The above desc.s herein ref.to: was certified May 15,1967; R/w.50 ft.wide; 4.5 mi.t Known as TUTUILLA CHURCH- ST.ANDREW'S SCHOOL ROAD, respectively.
- P-22
 Beg.@/SW.cor.of Sec.30,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 3 miles ± (less 0.3 mi./3-3) to the SE.cor.of Sec.28,T2N.,R33E,W.M.
 The above desc.herein ref.to:was certified May 15,1967;R/w 60 ft.(*)wide;2.7 mi.±.
- P-24 Beg.@/SW.cor.of Sec.31,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 2 miles ± along & bet.TIN.& T2N.,to the SE.cor.of Sec.32,T2N.,R33E,W.M.

 The above desc.herein ref.to:was certified Apr.5,1956;R/w 60 ft.wide; 2 mi. ±.

 Known as HANNA EOAD.
- P-2h Eeg.@/SW.cor.of Sec.33,T2N.,R33E,W.M.,Oregon,to wit:THENCE East 1 mile to the SE.cor.of sd.Sec.33,T2N.,R33E,W.M.
 The above desc.herein ref.to:was certified May 15,1967;R/w 60 ft.wide; 1 mi.t Known as BEST ROAD.
- P-28 Peg.@/SW.cor.of Sec.7,TlN.,R33E,W.M.,Oregon,to wit:THENCE East 2 miles ± to the SE.cor.of Sec.8,TlN.,R33E,W.M.

 The above desc.herein ref.to:was certified May 15,1967;R/w 60 ft. wide*; 2mi.± Known as CRAWFORD ROAD.
- P-30 Beg.@/NW.cor.of Sec.36,T3N.,R33E,W.M.,Oregon,to wit:THENCE East 5 miles ± to the NE.cor.of Sec.34,T3N.,R34E,W.M.

 The above desc.herein ref.to:was certified Feb.8,1963;R/w 50 ft.wide.

 Known as Hall-Toyslap- MALONEY ROAD.
- P-30 Beg.@/SW.cor.of Sec.26,T3N.,R34E,W.M.,Oregon,to wit:THENCE East 4 miles ± to the SE.cor.(approx.),Scc.28,T3N.,R35E,W.M.;THENCE Northeast 0.6 mi.± to the Thornhollow Grade Co.Rd.No.865 in the sd.Sec.28,T3N.,R35E,W.M.

 The above desc.herein ref.to:was certified Nov.1,1965;R/w 50 ft.wide;3.9 mi. ±.

 Known as HALL (Toyslap) ROAD.

The Indian Service Roads herein listed contains in TOTAL length 54.1 miles of which PAVED length is 33.1 miles and GRAVELED length is 21.0 miles.

I, E.F.Palmer, Roadmaster, in and for the Umatilla County, State of Oregon, submit this REPORT, pursuant to instituted proceedings for adoption for the hereinabove list and descriptions of Indian Service Roads.

A	T	T	E	S	T	E	D	:			Done	and	Dated	this	 day	of	,1969

Umatilla County Roadmaster

Umatilla County Clark

NO PERMIT VAGEE R 78 PAGE 241

certify that this instrument was received and I, J. Dean Fouquette, 8r., County Clerk, COUNTY OF UMATILLA, STATE OF OREGON, recorded

ON MAR. 26. 1981

of said County in at 1.50° clock A. in the record

J. DEAN FOUQUETTE, SR.

NOTICE

OF LEGALIZATION OF INDIAN SERVICE ROADS USATILLA INDIAN RESERVATION, FENDLETON, OREGON 7

ALL FERSONS * INTERESTED IN * OR CONCENTED

WITH 1AE RIGHT-OF-WAYS OF INDIAN SERVICE ROADS

ARE HEREBY NOTIFIED:

HIGHMAYS; any objections thereto, or claims for demages, must be filed in the OFFICE of the COUNTY CIERK of this County on or before 28 day of Manch, 1969; The said roads is more particularly described herein or/attached hereto, will be declared COUNTY ROADS and PUBLIC HIGHMAYS. In consideration of the construction, plans and descriptions has been completed; The Umatilla County Court, at it's next term, WILL HEAR and determine whether the said Indian Service roads right-of-ways are satisfactory and shall be ORDFRED as LAWFUL COUNTY ROADS and PUBLIC.

(Description).

COUNTY UMATILLA

Posting affidavid filed:

RVDENGE PAGEE R 79 PAGE 933

I, J. Dean Fouquette, Sr., County Clerk, certify that this instrument was received and recorded COUNTY OF UMATILIA, STATE OF OREGON,

at 10,50 o'clock A. M. in the record on MAY -7. 1981

...of said County in DEEDS Book

J. DEAN FOUQUETTE, SR.