## Bonneville Power Administration Geodetic Control Data Sheet

Station:	WM016 (216)						
Project:	Wallula-Smiths Harbor-	McNary					
Section:	SE 1/4 11	Township:	7 North	Range:	31 East	Meridian:	Willamette
County:	Walla Walla	State:	WA	USGS Quad:	- Wallula, Wash	ington	-
Surveyor:	M R Heidecke		-	Date Surveyed:	_ July, 2001	Ū	

## Instrument:

The horizontal coordinates and orthometric elevation were established by GPS observations using six Trimble 4000 SSI dual frequency receivers with Compact L1/L2 antennae with ground plane.

## Adjustment:

The Basis of Coordinates for this survey is the Washington State Coordinate System, South Zone, NAD 83 (1998). The horizontal component of the least squares adjustment was constrained by holding NGS Stations B 340 (A), B 502 (B), PENDLETON (B), STANFIELD EAST BASE RESET (B), and BURDEN (B). The vertical component of the least squares adjustment was constrained by holding NGS Benchmarks B 340 (First Order Class II), B 502 (First Order Class II), BURDEN (Second Order Class II), V 203 (Second Order Class 0), G 640 (First Order Class I). The elevation for point 106, 201, 249, and 255 were determined by differential leveling from G 640, D 502, E 525 and F 431 respectively and held.

Horizontal Da	atum: NAD83 (1	998) Linear Unit:	U.S. Survey Feet
Vertical Datu	m: NAVD88	Linear Unit:	U.S. Survey Feet
l atitude:	N 46-05-59 01824	Longitude: W 118 52 34	72120

Latitude:	itude: N 46-05-59.01824			Longitude: W 118-53-34.73138		
US State Plane Coordinate System:				Washington South Zone - 4602		
	283,628.81		Easting	2,048,048.348		
Orthometric	Elevation:	477.34		Ellipsoid Height:	406.50	
Combined	Factor:	0.99993086		Convergence: -	1-10-02	
Confidence: 95% Confidence ("1.96 Sigma") Values						
	Northing-0.0	009	Easting-0	.007	Elevation-0.098	

Monumentation: BPA 31⁄4-inch Aluminum Cap on 5/8-inch aluminum rod, flush with ground. Stamping: U.S.D.O.E. Bonneville Pwr. Adm., WM016 - FEC-01 - ATB - GPS

## To-Reach Description:

Begin at Wallula Post Office at Wallula, Wa. 99363. Drive north on Columbia Way (County Road #1870) 0.2 miles to intersection of Columbia Way and Washington State Highway #12. Drive north on Washington State Highway #12, 1.0 miles to intersection of a dirt road to the right (east). Drive east on the dirt road parallel to 2 PP&L 69kV transmission lines 0.9 miles to the station on the left. The station is S42°W, 94.3 feet from south pole of PP&L structure 3/5. Witness post is a yellow carsonite marker inscribed with BPA logo, bearing and distance to station.

