Merid. Willam ofto	CORNER RECORD (SEARCH) Tract or Cor. D-25 (Ref. FSM 7151.4) Survey No. No. D-25 R.D. UKiah County Umatilia N.F. Umatilia State Orayon
CORNER DIAGRAM	DESCRIBE CORNER MONUMENT FOUND CR. T45, R32 E D-T Brass Cup
PHOTO IDENTIFICATION DATA Photo No.	DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND
Filed At.	
Object Ident	DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER
dent. By	
PLANE COORDINATE POSITION DATA	
State Zone	
Estab. By	
Signature .	Title Division Headquarters Date 7100-52 (3/68)

. .

CORNER RECORD (PERPETUATION)	GPO 902-678
MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT	
	٩
ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EX	VIDENCE
	10

_____ Date____

REMARKS

Index File No. T.

Work Done By._____

Certified Cor. Record Prepared ? Yes

R.

___ Title _____

No

M.

Filed At:

Tract or Surv. No.

State Registration No. or Agency

Date

Cor.

13

USDA-FOREST SERVICE Index File No. D-1 T4S R32E MeridW.M.	CORNER RECORD (SEARCH) Tract or Cor. S1/16 R.D. Ukiah County Umatilla N.F. Umatilla State Oregon
CORNER DIAGRAM	DESCRIBE CORNER MONUMENT FOUND
S1/16 N S1 S6	None Set.
31 50	DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND
1	TOO THE POOL SOURCE POOL OF
	None Set.
PHOTO IDENTIFICATION DATA	
Photo No.	
Filed At.	3
Object Ident Ident. By	DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER
Signature	
PLANE COORDINATE POSITION DATA	Corner is about 600 feet west of main road through Granite
State Zone	Meadows and 25 feet north of a fence going east and west.
X	
Y	
Estob. By	
Barrey B. Barbow	Title Division Headquarters Date 7100-52 (3/68) 7 P.L.S. 11/9/77 5

CORNER RECORD (PERPETUATION)		GPO 902-67	
MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT		T4S	
	R31E	R32E	
Set 2½"x30" galvanized pipe with brass cap marked: Set pipe 25" in the ground.		S 6	
		/16	
		LS 1051	
		977 9	
ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVA Fir 18" in dia. bears \$780E, 6.7 ft., scribed \$1/16 \$6 BT. A Pine 15" in dia. bears \$280W, 21.8 ft., scribed \$1/16 \$1 BT. Placed 54-3s and 54-4s on trees, brass washer on BT blaze Stamped Placed 54-2 and 54-4 north of corner.	S 1051.		

			10
Work Done By B.B. Barbour Title P.L.S. Date 11/9/77 State Regis	stration No.	OR PLS 1051	
Certified Cor. Record Prepared ? Yes No Filed At:	Date	<u> </u>	
PENARKS			

M.

Witnesses: D.L. Landers S. Nelson

Index File No. ! T. R,

Tract or Surv. No.

Cor.