USDA FOREST SERV	VICE CORNER RECORD (SEARCH)
File No. N-23	R.D.: N.F.J.D. Co. Survey No:
T.48., R.32E.	
Meridian: Willar	
CORNER DIAGRAM	I DESCRIBE CORNER MONUMENT FOUND
T48 R32E	Found 16"x12"x8" basalt stone clearly marked 1/4 on
	l north face. Stone was set 8" deep.
624	
1994	
PL8 2405	
en e	DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND
	l Found no remains of the original bearing trees
PHOTO ID DATA : Photo No.	i · · · · · · · · · · · · · · · · · · ·
Filed At	1 1
Object ID	
PLANE CO-ORD	
State Zone	1
×	
Y	DESCRIBE CORNER LOCATION:
Estab.By	Corner falls on east slope of D.Fir and P.Pine.
	·/
Signature:	Leffewill Title: Land Surveyor Date: 10/18/94

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MON. Moving the original corner stone aside, I set in it's place a 2-1/2"x30" aluminum pipe with 3-1/2" aluminum cap, stamped as shown on the DIAGRAM, 26" in the ground and placed original stone north alongside. From which:

ACCESSORIES: DESCRIBE NEW BT'S, W.O.'S ETC. ESTABL./WORK DONE TO PRESERVE Ponderosa Pine, 11" dia., bears N61°45'W, 32.3 ft., scribed: 1/4 S13 BT Ponderosa Pine, 14" dia., bears N32°30'E, 35.8 ft., scribed: 1/4 S13 BT Ponderosa Pine, 14" dia., bears S58°45'E, 30.8 ft., scribed: 1/4 S24 BT Ponderosa Pine, 14" dia., bears S43°30'W, 9.9 ft., scribed: 1/4 S24 BT Measurements to BT's taken with a magnetic compass, declination 20° East, and a nylon clad steel tape. Set steel fence post with Land Survey Monument (54-9) sign 5' south of the monument. Nailed a brass washer stamped PLS 2405 on blaze above BT scribe as taken this survey. Nailed Bearing Tree (54-3) signs above blaze and Land Survey Monument (54-9) signs on back of each tree as required. Painted a 6" red band above Bearing Trees signs.

Work Done by: Susan E. Newstetter Or.Land Surveyor No. 2405 Date: 10/18/94 Certified Cor. Record Prepared? X Yes __No Filed At: Umatilla Co. Survey.

REMARKS

Index File No. N-23 T.48., R.32E., W.M.

Index File No.	CORNER RECORD (SEARCH) Tract or Cor. (Ref. FSM 7151.4) Survey No No R.D. <u>Ukiah County Umatilla</u> N.F. <u>Umatilla</u> State <u>Oregon</u>
CORNER DIAGRAM	DESCRIBE CORNER MONUMENT FOUND
Sec	None DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND The area has been logged. No evidence of corner or accessories could be found. There is a primitive road nearby. See Owen Butte 7.5 minute quad map for access.
PHOTO IDENTIFICATION DATA Photo No Filed At.	
Object Ident	DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER
PLANE COORDINATE POSITION DATA State Zone X Y Estab. By	
Signature J. Hollamen	Title Division Headquarters Date 7100-52-(3/68) リー 21-77 5

. . ~

ACCESSORIES :	DESCRIBE NEW BT's	WITNESS OBJECTS	Try to the second of	WORK DONE TO PRESERVE	EXISTING EVIDENCE
			9 5		
				•	
•					
					• •
				Chata Basistantina	Ale.
Work Done By		Title	Date	State Registration or Agency	140.
					

T.

Index File No.

R.

M.

CORNER RECORD (PERPETUATION)

- Tract or Surv. No.

GPO 902-673

Cor.