USDA-FOREST SERVICE Index File No. <u>L 13</u>	CORNER RECORD (SEARCH) (Ref. FSM 7151.4)	Tract or Survey No	Cor. No
T <u>6N</u> R. <u>38F</u>	_R.D. <u>Walla Walla</u> County _	Umatilla	
Merid. <u>Willamette</u>	N.F. <u>Umatilla</u> State	<u>Oregon</u>	·
CORNER DIAGRAM	DESCRIBE CORNER MONUMENT FOUND		
T6N R38 E	Found a 3" BLM brass cap p Stamped set 1991.	protruding 4" in s	mall stone mound.
1	DESCRIBE BEARING TREES OR OTHER OF	ELOLAL ACCECCOBIEC FOL	IND
	DESCRIBE BEARING TREES OR OTHER OF	PICIAL ACCESSORIES FOC	ino
S16 S15	None found. See below for	new accessories.	
	·		•
	e		
PHOTO IDENTIFICATION DATA	*		
Photo No.			
Filed At.	-		
Object Ident.	DESCRIBE CORNER LOCATION RELATIVE	O NEAR-BY FEATURES, A	LSO HOW TO REACH CORNER
Ident. By	- Head west ½ mile on Mill (
Signature	$\frac{7}{1}$ 2500! to company line just		
PLANE COORDINATE POSITION DATA	west and south.	o below took band	Trage unas races
State Zone	- West and south.		
×			
Υ	-1		
Estab. By	 8	•	
Signature	Title Division He	adquarters C	ote FS-7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE Set 3 each 5/8" x 30" Rober with brass washer stamped "WA 25893, OR 2360" in rock mounds with Umatilla Co. Bearing object signs. 1) Bears N 45 30 E 30.95 Feet from corner. 2) bears S35 43' E 18.56 feet from corner. 3) Bears S52 13' E 22.09 Feet from corner, also chizeled "X" in boulder and placed bearing object tag; bears N11 46'E 16.85' from corner.

		10
Work Done By. P. Tomkins Title PLS	Date 7/92 State Registration No. OR 2360	
Certified Cor. Record Prepared ? (Yes) No Filed At:	Date	11
REMARKS		

M. W.M. Tract or Surv. No.

Cor.

13

Index File No. 113

6N R.

T.

38E

USDA-FOREST SERVICE					
Index L-13	E	ORD (SEARCH)	Tract or	Cor.	
T 116 140.		FSM 7.151.4)	Survey No.	No	
	R.D. WALLA WAL		MATILLA	*	
Merid. WILLAMETTE	N.F. UMATILL	A State C	REGON		
CORNER DIAGRAM	DESCRIBE CORNER MOI	NUMENT FOUND		0 5	
T6N R38E	BRASS CAPPO	FD STEEL	PIPE SET BY	SURVEY BY B	12/1
1/4/1/4		0,124	/// =		
1					
1	. 1				
N 516 515	*				. ,
N 516 - 515	DESCRIBE REARING TRE	ES OR OTHER OFFIC	IAL ACCESSORIES FOUN	D	
1	DESCRIBE DEARING THE			*	
1991				-	
PHOTO IDENTIFICATION DATA	읙				
· · · · · · · · · · · · · · · · · · ·					
Photo No.	- 				
Filed At.	-			0 HOW TO DE AGU CORN	3
Object ident.	_ DESCRIBE CORNER LOCA	ATION RELATIVE TO F	NEAR-BY FEATURES, ALS	O HOW TO REACH CORN	154
ident. By	-1				
PLANE COORDINATE POSITION DATA	4		•		
PLANE COORDINATE POSITION DATA					
State Zone	-				1
X	-				
Υ	-				
Estab. By]				А
Signature	6) Title Di	vision Heada	uarters Dat	9 FO 7400 FO (0)	(60)
Signature	11116	TISION NOUN	190	FS-7100-52 (3/	5
			/ /) (-

CORNER RECOR	(PERPETUATION))
--------------	----------------	---

MONUMENT: DESCRIBE NEW MON	UMENT SET, OR WORK (ONE TO PRESERVE	EXISTING MONUMENT

Index File No.

Т.

R. M. . . . Tract on Surv. No.

Cor.

13

* U.S. GOVERNMENT PRINTING OFFICE : 1963 0—68171 1. T6NR_38E NoL=13cor.	LAND	Oregon N. F. Um	atilla	LL 5680-2 Dist.Walla Walla
2. Corner Status	3. Original Description_	Vol Page	Where Recorded_	Dist
Q-1-15-1-	4. Description of Corner		Wilere Necorded	
	21 22	From Sec.line mrk. on to be 450 N of said	d mrk. Ran lin	e N 3,100' made
	search for $\frac{1}{4}$ coresteep south slope		ce of corn. Se	arch made on
Photo No	- a a ob power Probe	'• 		•
8. Plane Coordinate Position Data				
State Zone X		•		
<u> </u>				
Estab. By Field Book No, Where Filed				•
9. Evaluation Authentic				
Needs VerifMonumentX Re-estabSurveyX				
Land Status	6. Signed D.B. Baker	Title Eng. Tech.	Date 9-	6-63

and the same of the company of the		*************	A		Marine in a mark mark with a con-	and a like a secretary of	and the second second
				•	٠.		
		•		_		•	
					•		-
,							
			•		•	•	
•							
			•		•	•	
				•			
	·				Field Book	Page	
		13.	Recorded By	(Agency)	Volume	Page	1
Date	•	(Dat	e) (City)		County)	(State)	
			13.	13. Recorded By	13. Recorded By(Agency)	13. Recorded ByVolume	Field Book Page

DEDDETHATION DECODO

FOR PERMIT Towards remains the second state - 10000

TYME COMPLET METONS

5680-2